

DAVINCI RESOLVE 20

Blackmagicdesign

The Visual Effects Guide to

DAVINCI RESOLVE 20



Download
**DAVINCI
RESOLVE 20**
Free!

Authors: Damian Allen, Tony Gallardo, Dion Scoppettuolo

The Visual Effects Guide to

DAVINCI RESOLVE 20

The Visual Effects Guide to DaVinci Resolve 20

Damian Allen, Tony Gallardo, and Dion Scoppettuolo

© 2025 by Blackmagic Design Pty Ltd

Blackmagic Design

www.blackmagicdesign.com

To report errors, please send a note to learning@blackmagicdesign.com.

Series Editor: Klark J. Perez

Editor: Dan Foster

Cover Design: Blackmagic Design

Layout: Blackmagic Design, Danielle Foster

Notice of Rights

All rights reserved. No part of this book may be reproduced or transmitted in any form by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

For information on getting permission for reprints and excerpts, contact learning@blackmagicdesign.com.

Notice of Liability

Neither the author nor Blackmagic Design shall have any liability to any person or entity for any loss or damage caused or alleged to be caused directly or indirectly by the information contained in this book, or by omissions from this book, or by the computer software and hardware products described within it.

Trademarks

Many of the designations used by manufacturers and sellers to distinguish their products are claimed as trademarks. Where those designations appear in this book, and Blackmagic Design was aware of a trademark claim, the designations appear as requested by the owner of the trademark. All other product names and services identified throughout this book are used in editorial fashion only and for the benefit of such companies with no intention of infringement of the trademark. No such use, or the use of any trade name, is intended to convey endorsement or other affiliation with this book.

(Mac) and (macOS) are registered trademarks of Apple Inc., registered in the U.S. and other countries. Windows is a registered trademark of Microsoft Inc., registered in the U.S. and other countries.

ISBN 13: 979-8-9924874-4-2

Contents

Foreword	vi
Acknowledgments	vii
About the Authors	vii
Who This Book Is For	viii
Getting Started	ix
Introducing Blackmagic Cloud	xx
1 Getting Started: Learning the Fusion Page	1
Exploring the Fusion Interface	2
Combining Images Using Nodes	9
Adding Effects	13
Understanding Node Flow	17
Working with Masks	20
Secondary Color Correction	22
Animating with Keyframes	27
Adding a Vignette	28
Returning to the Timeline	29
Lesson Review	29
2 Compositing Split Screens	31
Using Layers from the Edit Page	32
Tracking in the Fusion Page	37
Drawing a Matte	44
Aligning the Clips Using Nudging	50
Restoring Camera Motion	53
Lesson Review	57

3	Replacing a Sky	59
	Retaining a Clip's Resolution	60
	Controlling a Composition's Resolution	64
	Compositing Using the Darken Apply Mode	69
	Adding Effects from the Effects Library	71
	Fixing Holes in a Key	74
	Embedding Alpha into an Image	75
	Tracking the Sky into Position	78
	Fixing Interrupted Trackers	82
	Blending In the Original Sky	83
	Lesson Review	85
4	Replacing Signs and Screens	87
	Tracking Planar Surfaces	88
	Painting with the Clone Tool	93
	Using Photoshop PSD Layers	96
	Combining Mattes and Images	102
	Match Moving with the Planar Transform	104
	Finalizing the Composite	106
	Lesson Review	109
5	Compositing Green-Screen Content	111
	Creating a Clean Plate	112
	Fine-Tuning with the Delta Keyer	115
	Rotoscoping Auxiliary Mattes	120
	Lining Up the Background	129
	Color Correcting Elements	131
	Sending a Matte to the Color Page	134
	Lesson Review	137

6	Addendum: Creating Title Animations	139
	Styling Text in the Edit Page	140
	Moving Text to the Fusion Page	145
	Creating a Background Banner	147
	Revealing Text with Mattes	151
	Animating with the Follower	153
	Adjusting Keyframe Timing	157
	Trying Out Versions	161
	Saving a Template	163
	Lesson Review	167
7	Addendum: Animating with Keyframes and Modifiers	169
	Identifying a Clip's Resolution	170
	Keyframing a Motion Path	171
	Auto-Orienting Objects	176
	Straightening Out Alpha Channels	177
	Painting a Motion Path	178
	Linking Parameters	182
	Making Acceleration Adjustments	185
	Applying Random Animation Modifiers	187
	Customizing Motion Blur	189
	Lesson Review	191
	Index	193

Foreword

Welcome to The Visual Effects Guide to DaVinci Resolve 20.

DaVinci Resolve 20 is the only post-production solution that combines editing, color correction, visual effects, motion graphics, and audio post-production all in one software tool! Its elegant, modern interface is fast to learn for new users yet powerful enough for the most experienced professionals. DaVinci Resolve lets you work more efficiently because you don't have to learn multiple apps or switch software for different tasks. It's like having your own post-production studio in a single app!

DaVinci Resolve 20 adds editing with transcriptions from audio, film look creator and ColorSlice six vector grading, IntelliTrack AI for panning audio to match vision, and broadcast replay for live multi camera broadcast editing, layout and replay with speed control, and so much more!

Best of all, Blackmagic Design offers a version of DaVinci Resolve 20 that is completely free! We've made sure that this version of DaVinci Resolve includes more features than any paid editing system. That's because at Blackmagic Design we believe everybody should have the tools to create professional, Hollywood-caliber content without having to spend thousands of dollars.

I invite you to download your copy of DaVinci Resolve 20 today and look forward to seeing the amazing work you produce!

Grant Petty
Blackmagic Design

Acknowledgments

We would like to thank the following individuals for their contributions of media used throughout the book:

- Hasraf “HaZ” Dulull, for the sci-fi short film *SYNC*. Produced, written, and directed by Hasraf Dulull.
- Rafa Garcia, for the VAN clip. Directed and edited by Rafa Garcia. Property of Rafa Garcia Films.
- Lukas Colombo, for the Steve Val: Dark Matter music video. Visual effects supervisor Nic Torres. Property of Moai Films.
- Sherwin Lau, Creative Media Institute for the short film *Driver’s Ed*.
- Kauai Film Academy (www.kauaifilmacademy.org) for *Too Much Life: The Movie*.

About the Authors

Damian Allen is a visual effects and animation consultant, developer, and supervisor in Hollywood. He is the owner of the VFX company Pixerati LLC, with a focus on virtual production, picture-lock visual effects emergencies, and VR and animation tool development. Damian is also a core contributor to the moviola.com training site for filmmakers.

Tony Gallardo, ever since picking up his first VHS camera, has been hooked and cut his teeth at a very early age making short films and promo videos for his school and church. A story editor from the start, Tony quickly expanded to all aspects of post-production and production. From designing award-winning motion graphics to directing tear jerking real-life stories, his passion for the craft and tools is endless. After co-running an award-winning production facility in San Antonio, Texas for a little over 14 years, he branched out and now runs his own post boutique, Tomiga. Tomiga is a hybrid creative boutique focusing on short form content from brand commercials to informative PSAs to promotional media. When he’s not creating brand commercial campaigns or social media ads, Tony is learning and educating about all his favorite creative tools—with Davinci Resolve and Fusion at the top of his list.

Dion Scoppettuolo is a Certified Blackmagic Design Master Trainer. He has taught classes on DaVinci Resolve in Hollywood and New York City, as well as across Europe and Asia. Mr Scoppettuolo has extensive industry experience in editing and visual effects, having held the position of Senior Product Manager for Pro Applications at Apple Inc.

Who This Book Is For

This hands-on training guide is designed for DaVinci Resolve editors and colorists who want to create visual effects and motion graphics in DaVinci Resolve 20. The lessons in this book provide a solid foundation for creating visual effects in the Fusion page. An addendum is provided to give you an understanding of how to begin creating motion graphics.

You'll start with an introductory composite that will give you a quick overview of the Fusion page interface and how nodes work. Each subsequent lesson builds your skills in the fundamentals of visual effects. You'll cover a variety of genres, techniques, and technical best practices including split screens, sign replacement, and green-screen compositing. All the lessons in this guide can be completed using the free download of DaVinci Resolve 20 from www.blackmagicdesign.com.

Getting Started

Welcome to *The Visual Effects Guide to DaVinci Resolve 20*, an official Blackmagic Design certified training book that teaches professionals and students the art of visual effects compositing in DaVinci Resolve 20. Editors will find clear workflow-driven lessons, while colorists will quickly learn Fusion's powerful node-based interface to accomplish incredible Hollywood-caliber visual effects.

As you step through the lessons, you'll gain experience with Fusion's green-screen keyer, powerful planar tracking capabilities, flexible masking tools, and more! Best of all, you'll discover that there is no longer a need to send shots out to another application because with DaVinci Resolve 20, fantastic visual effects are simply a click away from editing.

This guide takes a practical, hands-on approach using real-world techniques for various compositing jobs. Along the way, you'll find practical tricks and tips used by professional visual effects artists to enhance the final outcome of your projects. As you complete each lesson, you'll have opportunities to answer sample test questions to test your comprehension of the techniques.

After completing this book, you are encouraged to take the 50-question online proficiency exam to receive a Certificate of Completion from Blackmagic Design. You can take the exam online at www.blackmagicdesign.com/products/davinciresolve/training.

About DaVinci Resolve 20

DaVinci Resolve is the world's fastest growing and most advanced editing software.

It also has a long history of being the world's most trusted application for color correction. With DaVinci Resolve 20, Blackmagic Design has added a complete 2D and 3D visual effects compositing and motion graphics environment that enables you to complete even the most challenging projects using only one piece of software!

What You'll Learn

In these lessons, you'll work with multiple projects and timelines to learn fundamental and practical techniques used in a wide range of visual effects and motion graphics genres. You'll acquire real-world skills that you can apply to real-world productions.

Lesson 1 begins with a quick start guide that lets you explore the user interface by creating a simple but highly realistic sci-fi composite. This lesson is meant to get you comfortable with the interface and workflow since it touches on all the essential tools that you will use throughout this guide.

Lessons 2–5 cover the most common 2D visual effects techniques that you can use on a broad range of jobs. You'll uncover various techniques using Fusion's point and planar tracking tools so you can realistically integrate objects into a shot. Using the flexible vector-based Paint tool, you'll remove objects to create hidden effects that viewers never even know are there. Finally, you'll learn how to approach classic green/blue-screen compositing that epitomizes visual effects for most people.

Addendum

The addendum to this book introduces two lessons on creating motion graphics in the Fusion page. It is not part of the official curriculum and is not included in the 50-question exam. However, it does provide useful information for those who need to create more advanced titles and motion graphics than the edit page templates provide.

The Blackmagic Design Training and Certification Program

Blackmagic Design publishes several training books that take your skills farther in DaVinci Resolve 20. They include:

- *The Beginner's Guide to DaVinci Resolve 20*
- *The Colorist Guide to DaVinci Resolve 20*
- *The Editor's Guide to DaVinci Resolve 20*
- *The Fairlight Audio Guide to DaVinci Resolve 20*
- *The Visual Effects Guide to DaVinci Resolve 20*
- *Advanced Visual Effects in DaVinci Resolve 20*



Whether you want an introductory guide to DaVinci Resolve or want to learn more advanced editing techniques, color grading, sound mixing, or visual effects, our certified training program includes a learning path for you.

Getting Certified

After completing this book, you are encouraged to take a 1-hour, 50-question online proficiency exam to receive a Certificate of Completion from Blackmagic Design. The link to the online exam can be found on the Blackmagic Design training webpage. The webpage also provides additional information on our official Training and Certification Program. Please visit www.blackmagicdesign.com/products/davinciresolve/training.

System Requirements

This book supports DaVinci Resolve 20 for macOS and Windows. If you have an older version of DaVinci Resolve, you must upgrade to the current version to follow along with the lessons.

NOTE The exercises in this book refer to file and resource locations that will differ if you are using the version of software from the Apple Mac App Store. For the purposes of this training book, we recommend that macOS users download and use the DaVinci Resolve software from the Blackmagic Design website rather than from the Mac App Store.

Download DaVinci Resolve

To download the free version of DaVinci Resolve 20 or later from the Blackmagic Design website:

- 1 Open a web browser on your Windows or macOS computer.
- 2 In the address field of your web browser, type:
www.blackmagicdesign.com/products/davinciresolve.
- 3 On the DaVinci Resolve landing page, click the Download button.
- 4 On the download page, click the button corresponding to your computer's operating system.
- 5 Follow the installation instructions to complete the DaVinci Resolve installation.

When you have completed the software installation, follow the instructions in the following sections to launch DaVinci Resolve and download the media files used throughout this book.


DaVinci Resolve 20 Quick Setup

When DaVinci Resolve 20 is successfully installed, you can launch the application for the first time.


macOS users will find the DaVinci Resolve application in their Applications folder. Double-click the DaVinci Resolve folder, and then double-click the DaVinci Resolve application. Alternatively, you can use Launchpad or Spotlight search to locate and launch DaVinci Resolve.

Windows users will find a shortcut has been added to their Desktop. Alternatively, click the Start menu and search for “DaVinci Resolve” and press Enter to launch the application.

When DaVinci Resolve 20 opens for the first time, you’ll see a Welcome splash screen detailing the new features available in the current version.




- 1 If required, you can change the language used. You can also learn more about these and hundreds of other amazing features available in DaVinci Resolve 20 by clicking Learn More. Otherwise, click Continue.




Next, you are invited to go through the Quick Setup process. Experienced users can skip this process by clicking "Skip and Start Right Now," but new users are advised to follow this process. It will only take a couple of minutes and is useful in understanding how Resolve is working.

- 2 Click the Quick Setup button.




- 3 DaVinci Resolve will check your system to ensure its operating system and graphics card will perform well. If both pass this test, click Continue.




Next, you will be asked what type of project you would like to begin. DaVinci Resolve supports projects at different resolutions, from Standard Definition (SD) and High Definition (HD) to Ultra High Definition and beyond.

- 4 If you know the resolution you commonly work with, you can set that here. Otherwise, leave the resolution set to 1080 HD and click Continue.




The next screen asks where you would like to store your media. This does not refer to the video, audio, and graphics files you'll edit and grade, but rather the ancillary files Resolve will need to create as you're working. This location is commonly referred to as a "scratch disk" and by default is set to your current user's Movies folder (macOS) or Videos folder (Windows).

- 5 Leave this set to the default location and click Continue.




On the next screen, you will be asked which keyboard layout you would like to use. This is specifically relevant if you're familiar with using another nonlinear editor; however, throughout this Visual Effects Guide you will be introduced to keyboard shortcuts that use the DaVinci Resolve keyboard layout. So if you change the layout at this point, you may find those shortcuts won't work.

- 6 For now, leave the layout set to DaVinci Resolve and click Continue.



Congratulations! You have completed the Quick Setup process and have changed precisely nothing in terms of DaVinci Resolve's default setup. Nevertheless, you have also gained an insight into some aspects of using DaVinci Resolve that will serve you well as you continue learning about the application and how it uses your system.

- 7** Click Start to launch and begin enjoying DaVinci Resolve 20!



Once loaded, DaVinci Resolve will open to the cut page, which is the default starting page for all projects. However, this is not the usual place to begin working with DaVinci Resolve. Instead, you should now exit the application in readiness to begin the first lesson in this book.

- 8** Choose DaVinci Resolve > Quit DaVinci Resolve or press Command-Q (macOS) or Ctrl-Q (Windows).

DaVinci Resolve 20 will close.

Get the Lesson Files

To perform the steps detailed in the exercises throughout this book, Fusion Training Media must be downloaded to your macOS or Windows computer. After you save the files to your hard drive, extract the file, and copy the folder to your Movies folder (macOS) or Videos folder (Windows).

To Download and Install the DaVinci Resolve Lessons Files

When you are ready to download the lesson files, follow these steps:

- 1 Open a web browser on your Windows or macOS computer.
- 2 In the address field of your web browser, type:
www.blackmagicdesign.com/products/davinciresolve/training
- 3 Scroll the page until you locate *The Visual Effects Guide to DaVinci Resolve 20*.
- 4 Click the Lesson Files Part 1 link to download the media. The file is roughly 1.5GB in size.
- 5 After downloading the zip file to your macOS or Windows computer, open your Downloads folder and double-click **DR20_Fusion_Training_Media.zip** to unzip it if it doesn't unzip automatically. You'll end up with a folder named DR20 Fusion Training Media that contains all the content for this book.
- 6 From your Downloads folder, move or copy the DR20 Fusion Training Media folder to a convenient location on your computer or an external hard drive. If in doubt, use your User's Movies folder (macOS) or Videos folder (Windows).

Once you have DaVinci Resolve 20 installed and the media files downloaded, you are ready to begin Lesson 1.

Introducing Blackmagic Cloud

DaVinci Resolve is the world's only complete post-production solution that lets everyone work together on the same project at the same time. Traditionally, post-production follows a linear workflow with each artist handing off to the next, introducing errors and mountains of change logs to keep track of through each stage. With DaVinci Resolve's collaboration features, each artist can work on the same project, in their own dedicated page, with the tools they need.

Now Blackmagic Cloud lets editors, colorists, VFX artists, animators, and sound engineers work together simultaneously from anywhere in the world. Plus, they can review each other's changes without spending countless hours reconfirming the timeline.

Simply create a Blackmagic Cloud ID, log in to the online DaVinci Resolve Project Server, and follow the simple instructions to set up a new project library—all for one low monthly price!

Once this library is created, you can access it directly from the Cloud tab in the Project Manager to create as many projects as you need—all stored securely online. Then invite up to 10 other people to collaborate on a project with you. With a simple click, they can relink to local copies of the media files and start working on the project immediately, with all their changes automatically saved to the cloud.

Enabling Multiple User Collaboration for your project means that everyone can work on the same project at the same time—edit assistants, editors, colorists, dialogue editors, and visual effects artists can now all collaborate wherever they are in the world in a way never before possible.

Media Sync with Blackmagic Cloud Store

Now you don't need to buy expensive proprietary storage that needs an entire IT team to manage! Blackmagic Cloud Store has been designed for multiple users and can handle the huge media files used by Hollywood feature films. You can also have multiple Blackmagic Cloud Stores syncing the media files with your Dropbox account so that everyone has access to the media files for the project.

To find out more about these exciting workflows, visit www.blackmagicdesign.com/products/davinciresolve/collaboration.

Lesson 1

Getting Started: Learning the Fusion Page

The Fusion page in Resolve contains all the tools you need to create world-class visual effects. Instead of the layers you might be familiar with for photo editing, Fusion uses nodes similarly to how the color page uses nodes.

Working with nodes is no more difficult than adding filters to layers. It is, however, a more flexible way of doing things. As you work through this quick-start lesson, allow yourself a grace period to adjust to this method of putting images together. Once the node-based paradigm becomes cemented in your understanding, the rest of this training guide will come easily.

Throughout this book, we'll delve into some powerful techniques for creating compelling visual effects (VFX), but it all begins with a foundational understanding of the Fusion interface and its basic building blocks: nodes.

Time

This lesson takes approximately 60 minutes to complete.

Goals

Exploring the Fusion Interface	2
Combining Images Using Nodes	9
Adding Effects	13
Understanding Node Flow	17
Working with Masks	20
Secondary Color Correction	22
Animating with Keyframes	27
Adding a Vignette	28
Returning to the Timeline	29
Lesson Review	29

Exploring the Fusion Interface

In most editing systems, you put together your rough cut and then refine your edited versions in a timeline. If you need compositing or motion graphics work, you export frames, open up different software, import the frames, and then render out the results for importing back into the edit timeline. Fusion does away with this: a single click takes you from the editing into the creation of your effects.

- 1 Open DaVinci Resolve, right-click in the Project Manager, and choose Restore Project Archive.
- 2 Navigate to the DR20 Fusion Training Media folder.

This folder contains three DaVinci Resolve Archives and a separate Graphics folder, all of which we will use throughout the exercises in this guide. We'll start with the Getting Started archive.
- 3 Select the **GettingStarted.dra** (DaVinci Resolve Archive file) and click Open to add the Getting Started project to the Project Manager.
- 4 Open the Getting Started project from the Project Manager and then select the edit page, if necessary.
- 5 From the main menu bar, choose Workspace > Reset UI Layout.

TIP If you accidentally alter your interface and find it hard to follow along, selecting Reset UI Layout will return the interface to its default state, which—for the most part—should match the layout used throughout this book.

The timeline in this project includes a shot that requires some visual effects work.

- 6 In the timeline, move the playhead to the start and play through the clip.

This is a scene from the sci-fi short *SYNC*. In this scene, a robot courier receives a hard drive directly into a drive slot embedded in its back. Your job is to add the robot's CG "cavity" to the live-action footage.

TIP The term *CG* stands for "computer generated" and typically refers to images created in a 3D animation package such as Maya or Blender. An older form of the term is *CGI*, or "computer-generated imagery."


- 7 Position the playhead over the center of the clip.

- 8 Click the Fusion page button or press Shift-5.

That's all it takes to bring a single shot into the Fusion page where you can apply effects.

Before you start creating those visual effects, let's get familiar with the Fusion page.

The page is organized into four main sections: (1) The two viewers across the top display the images you're working on. Below the viewers, (2) a timebar for playback and a toolbar, which includes the most-used effects (also called tools). The lower work area, called the (3) Node Editor, is the heart of the Fusion page where you construct your effects. Finally, the (4) Inspector is to the right.



By default, the work area displays the Node Editor. Similar to the color page, Fusion applies effects to nodes in a node graph (sometimes called a node "tree"). Each node in the Node Editor represents an image or effect. How the nodes are connected determines the layering of images and the order the effects are applied.



As mentioned at the start of this lesson, nodes aren't hard to understand; they just require a different way of thinking and take a little time to get used to. Before we dive further into learning about nodes, let's learn how to navigate around the interface.


Navigating the Fusion Page

Mouse and keyboard commands in the Fusion page are context sensitive, meaning the same key presses or mouse clicks can produce different results depending on where your mouse pointer is positioned in the interface. For the following exercise, pay attention to where you're being asked to position the mouse pointer before commencing the action.

- 1 With the mouse pointer positioned over an empty gray space in the Node Editor, hold down the middle mouse button and drag to pan the node tree into the center of the panel.

TIP While there are workarounds when using other input devices, we strongly recommend using a three-button mouse when working with the Fusion page. Typically, pressing down on the scroll wheel of a standard mouse acts as a middle mouse button click. A pen and tablet input device is also an excellent choice for working with Fusion, although for brevity we will only cover the mouse commands in these lessons.

The Node Editor's infinite work area allows nodes to move outside the current window. When this happens, the Navigator pane appears in the upper right corner of the editor panel. Simply click in the Navigator pane to re-center the Node Editor view.




- 2 To zoom the Node Editor view, hold down the left and middle mouse buttons and drag left and right.

Because the keyboard and mouse commands are context sensitive, you can use the same commands in the viewers.

- 3 Position your mouse pointer over the right viewer and drag with the middle mouse button down to pan, and hold the left and middle mouse buttons down and drag left and right to zoom.

- 4 With your mouse pointer still hovering over the right viewer, press Command-F (macOS) or Ctrl-F (PC) to fit the image into the full area of the viewer.
- There are a couple more navigation keyboard commands worth learning.
- 5 Press the + and – keys to zoom in to or out of the viewers or Node Editor in discrete steps.
- 6 With your mouse pointer over the right viewer, press Command-1 (macOS) or Ctrl-1 (PC) and Command-2 (macOS) or Ctrl-2 (PC) to zoom to 100% and 200% zoom, respectively. Press Command-F (macOS) or Ctrl-F (PC) to reframe the image to fit the viewer in its entirety.



These same navigation commands also work in the left viewer, the Spline Editor, and the Keyframes Editor.

Navigating in Fusion		
	Mac	PC
Pan around a view	Middle mouse drag	Middle mouse drag
Zoom the view	Left and middle mouse drag	Left and middle mouse drag
Zoom to 100%, 200%	Command-1, Command-2	Ctrl-1, Ctrl-2
Frame the view	Command-F	Ctrl-F

Setting Up the Node Editor

Every clip or image file that you bring into the Fusion page is represented by a MediaIn node in the Node Editor. The current MediaIn node represents the clip from the edit page timeline. The MediaOut node represents the final image that is sent back to the timeline on the edit page. What flows into the MediaOut node to the timeline will be the result of all our effects work.

NOTE If you disconnect the MediaOut node from the rest of the node tree, the clip will appear blank in the edit page timeline, since no image data is able to travel back to the timeline clip.

- 1 In the Node Editor, click the MediaIn1 node to select it. A red highlight border appears around the node to indicate the selection. Press the 1 key to display the image in viewer 1 to the left.




Pressing the 1 and 2 keys loads a selected node into the left and right viewers, respectively. If you have an external broadcast monitor connected to a Blackmagic Decklink card, pressing 3 will load the selected node to the external display.

Notice the small dots at the base of each node. A white dot in position one indicates that the node is currently loaded in the left viewer. A white dot in position two indicates that the node is currently loaded in the right viewer. A third dot will only be present if an external broadcast monitor is connected and indicates whether the node is loaded to that monitor.

TIP The terms *node* and *tool* are used interchangeably to refer to an image-processing operation.


To better understand what each MediaIn node represents, we can add thumbnails to the nodes.

- 2 Right-click in an empty space in the Node Editor and choose Force Source Tile Pictures.




When you first enable source tile pictures, you'll often see an icon in place of the clip thumbnail. To update the thumbnail, you simply need to drag the time ruler playhead.

- 3 Click and drag along the time ruler to update the MediaIn node's tile picture.



TIP It's a good idea to enable Force Source Tile Pictures by default for future projects.

- 4 Select Fusion > Fusion Settings.
- 5 Select the Flow section, enable Source Tile Pictures, and then click Save.



Future projects will now automatically create thumbnails for the MediaIn nodes.

In addition to adding tile pictures, you can rename nodes to describe their function or image.

- 6 Select the MediaIn1 node. Press the F2 key and rename the MediaIn1 node **BackgroundPlate**.

Fusion does not allow spaces in node names (for a good reason: spaces can cause significant problems in production automation scripts written in Python and LUA). Instead, use the underscore character, “Background_plate,” or—as demonstrated in the previous step—use camel case, a standard form of notation where each new word starts with a capital (the “humps” of the camel).


TIP A plate in visual effects work is simply the name given to a piece of footage. The main source footage is commonly referred to as the *background plate*. Footage that has had elements removed (such as foreground actors or unwanted production rigging) is commonly referred to as a *clean plate*.

Fusion’s node-based workflow focuses almost entirely on spatial relationships between images; it’s almost like time is an afterthought. However, as we saw when we updated the thumbnail, the time ruler enables movement forward and backward through the clip.

TIP By default, the time ruler and all time fields on the Fusion page display frame numbers. To display timecode, choose Fusion > Fusion Settings, and in the Defaults panel, configure the Fusion page to do so.

The time ruler shows the entire source clip length, and the vertical yellow lines indicate the render range, which is the portion of that clip actually used in the edit page timeline. In this case, the entire source media appears in the edit page sequence, so the yellow lines appear at the far left and far right of the timeline.

- 7 Drag the playhead slowly through the render range.



As you drag the playhead through the render range, the current time display (to the right of the time ruler) displays the current frame number. To the left of the time ruler, you can see the render range start and end frames.


As the playhead moves, a green line appears along the time ruler to indicate frames that are cached into RAM for smoother playback. The more RAM you have in your system, the longer the cached region for RAM playback can be.

TIP You can assign more or less RAM for Fusion RAM playback in the Preferences panel. The amount of RAM assigned to Fusion RAM playback is taken from the total amount assigned to the DaVinci Resolve application.

Combining Images Using Nodes

It's time to start creating an effect! We'll begin by adding another clip to the Node Editor.

- 1 In the interface toolbar at the top of the Fusion page, click the Media Pool button to open the media pool.



Adding new media to the Node Editor is as simple as dragging it from the media pool.

- 2 Select the CLIPS bin and drag the DriveDoc clip into the Node Editor and position it above and to the right of the BackgroundPlate node.



- 3 Click the new MediaIn node to select it (the red selection highlight should appear around it) and press 1 to load it into the left viewer.

- 4 Drag in the time ruler to preview the clip and update the tile picture.




- 5 With the new MediaIn node still selected (it should have its red outline) press F2 and rename it **DriveDock**.

To layer one image over a background, we typically use a Merge node. We'll soon learn how to search for and add the many nodes available in Fusion, but to start, we'll use the toolbar to add nodes, since it is the most obvious method.

- 6 Select the BackgroundPlate.


To add a Merge node, you first select the node you want to use as the background.

- 7 From the toolbar, click the Merge tool.



A Merge node automatically appears, connected to the BackgroundPlate. Next, we'll connect the DriveDock so it is layered on top of the BackgroundPlate.


- 8 Drag the white square output of the DriveDock node to the green arrow on the Merge node.



You'll notice that the right viewer has updated to show the composite of the DriveDock over the top of the BackgroundPlate. (That's assuming you still have the MediaOut node loaded into it. If not, select the MediaOut node and press 2 to load it into the right viewer.)

TIP The term *composite* refers to the result of combining two or more images to create a final effects shot.

Let's talk about all those arrows and connecting lines (called *pipes*). First, it's important to understand that it isn't the location of the connections that matter, but rather their color. Fusion will move the positions of the various arrows around the edge of the node to better lay out the connections. For example, dragging the DriveDock node below the Merge node will move the green arrow to the bottom of the Merge node and move the blue arrow to the top in its place.




In fact, you can lay out nodes however you like. As long as the connections go to and from the same places, nothing will change in your final image (although, as we'll soon see, keeping nodes laid out in a logical order is important for your own comprehension as you work).

So what do the colors of the connections mean? The green connector is the foreground input, and the yellow connector is the background input. In other words, the image feeding into the green, foreground input will be composited on top of the background image feeding into the yellow input. This is the reason we now see the DriveDock over the background plate in the right viewer.



The blue input is for masking effects (we'll cover those a little later), and the small white square represents the resulting image output from the node.



TIP If you accidentally connect nodes the wrong way around (the background clip to the foreground input and the foreground clip to the background input), simply press Command-T (macOS) or Ctrl-T (PC) to switch them.

While Fusion automatically “wires up” nodes as you go, you’ll frequently want to modify the pipe connections between them. Let’s look at how to disconnect the pipes.


- 9 Hover your mouse pointer over the pipe connecting Merge1 to the MediaOut1 node until the pipe highlights yellow and blue.



- 10 Click the blue section of the pipe to disconnect it.

There is no longer a link between Merge1 and the MediaOut1 node. If you still have MediaOut1 loaded into viewer 2, you’ll notice that the viewer has gone blank. There’s no longer any image data reaching the MediaOut node. Let’s go ahead and reconnect the nodes.

- 11 Click the square output icon of Merge1, drag it to the yellow input triangle of MediaOut1, and then release the mouse button.



The two nodes are connected once again, and you should see the composited image in viewer 2 once again.

Adding Effects

Let's look at the current composite.


- 1 Press the Spacebar to begin playback. Press the Spacebar again to pause playback when you're done.
- 2 Drag the playhead to a frame where you can clearly see the glowing vertical rails of blue light on either side of the CG drive bays (around frame 65).

As the composite plays through, you'll notice that the CG we added doesn't seem to fit in with the live-action footage. (There's also the small issue of the man's hands disappearing—we'll get to that a little later.) That's because the contrast of the two elements doesn't match. Let's color correct the DriveDock element to match the background plate.

- 3 Drag the DriveDock node upward to create some space. You can hold down the left and middle mouse buttons and drag left to zoom out if you need more room in the node view.

Remember: moving nodes around doesn't change the composite unless we actually rewire the connecting pipes between them.

- 4 Make sure DriveDock is selected (outlined in red) and click the Color Corrector icon in the toolbar above the node view.



As mentioned earlier, the toolbar gives you visual access to many of the most common tools in Fusion.

Notice how the color corrector is automatically added directly after the DriveDock node. Why there? Because we had selected the node prior to clicking the Color Corrector button in the toolbar. New nodes are always added directly after the selected node.



TIP New nodes are always added directly after the selected node.

Looking at the Inspector to the right, you'll see that the Color Corrector node offers multiple correction tools. Right now, we're only concerned with adjusting the black point, white point, and contrast of the DriveDock element. Matching the black and white points of a CG element can go a long way toward integrating them convincingly into a shot.

- 5 Toward the bottom of the Inspector, drag the Lift slider left and right to see its effect.




Something isn't right here. We only want to color correct the DriveDock clip, but it seems that the entire composite is changing as we adjust the controls.



This is happening because this CG element contains transparency, and transparency in CG elements is almost always premultiplied. Premultiplied graphics must be treated a little differently than clips without transparency before being color corrected. We'll run into premultiplied elements in later lessons as well. For now, just know that when dealing with premultiplied images (and again, computer-generated images with transparency are almost always premultiplied), you need to enable the Pre-Divide/Post-Multiply option in the color corrector.

- 6 In the Inspector, click the Options button to switch to the options section of the color corrector interface. Enable Pre-Divide/Post-Multiply.



The color adjustment is now limited to the DriveDock element.



Now let's dial in the black and white points of our CG, starting with the black point.

- 7 Make sure the Color Corrector node is still selected; if it is not, click it to select it. Then click back to the Correction section in the Inspector.

The Inspector always shows the properties for the currently selected node.

Eyeballing the black and white points in an image can be a little tricky, but for this first lesson we'll trust our eyes and then learn to do it with more precision in later lessons.

- 8 In the Inspector, adjust the Lift slider until the shadows in the CG element match the intensity of the shadows in the live-action actor's suit immediately adjacent to the CG. (Don't try to match the darker shadows around the arms; you'll end up with too big a mismatch due to lighting differences on set.) For greater precision, click in the numeric entry field to the right of the slider and drag left and right to adjust. In this case, it should be a very subtle adjustment: a value of around -0.03 should work.

TIP In color correction, the Lift control adjusts the level of the dark pixels in an image, while the Gain control adjusts the level of the bright pixels.

Next, we need to tame the intensity of the bright parts in our DriveDock CG element.

- 9 Drag the Gain slider left until it matches the intensity of the light at the top left of the frame, around 0.4.




We've set the black point and the white point (Lift and Gain), so why does the CG still look too dark? Well, we need to adjust the contrast of pixels between the dark and the bright areas. We use the Gamma control for this.

- 10 Raise the Gamma control until the contrast of the DriveDock pixels looks natural, at a value of around 1.4.



Things are looking much better. To see just how much better, let's temporarily disable the color correction to see how things looked before we started.

- 11 Make sure ColorCorrector1 is selected (outlined in red), and then click the red switch at the top of the Inspector or press Command-P (macOS) / Ctrl-P (PC) to disable the effect.



- 12 Repeat the keyboard command to re-enable the node when you're done.

TIP The “P” in Command-P or Ctrl-P stands for “pass-through.” This shortcut only works on the node in the node graph that is currently selected.

Understanding Node Flow


Before we move on to fixing the disappearing hand, let's pause for a moment to better understand how nodes work. Imagine that each source image is water under pressure. The water coming from the BackgroundPlate node is the “background-colored” clip.

- 1 Select the BackgroundPlate node and press 1 to load it into viewer 1.



One of the great things about working with nodes is that you can quickly see the state of the composite at any point, simply by clicking through the various nodes that make up the node graph. Here we can see the state of the composite at the BackgroundPlate node—just the source footage with no other elements added—while still viewing the final output at MediaOut1 in viewer 2. This makes it much easier to troubleshoot a chain of effects in Fusion's node graph compared to stacking and nesting effects in a traditional timeline.

- 2 Click the DriveDock node and press 1 to load it into viewer 1.



Now we see the CG element coming out of the DriveDock node in the left viewer. If you look carefully, you'll see that this soloed version of the DriveDock isn't as dark as the final version in viewer 2. That's because we're looking at the footage before it passes through the ColorCorrector node that we added in the previous section.

- 3 Select ColorCorrector1 and press 1 to load it into viewer 1.

As soon as you pressed 1, you should have seen the image in viewer 1 darken. That's because we're now seeing the DriveDock image after the color correction has been applied.


TIP The viewer always shows the processed output of the loaded node, and the name of that node is displayed above the viewer.

So the DriveDock “water” (to work with our water-under-pressure analogy) flows into the ColorCorrector1 node. As it passes through ColorCorrector1, the “water” is made darker by our color correction. What comes out the other side (and what we see in viewer 1) is the darkened result. The color corrector acts like a filtration plant—in this case, “polluting” our water, making it darker.

When it arrives at Merge1, the “DriveDock water” combines with the “Background water” flowing in through the yellow, background input. The two streams merge (hence the name of the node) to create a new single stream that then flows on to MediaOut1, where it flows out and back to the edit page timeline.

And that's really all there is to it. To strengthen your understanding, let's try a little experiment.

- 4 Hold down the Shift key, and in the Node Editor, drag the Color Corrector node to the right, away from the nodes it's connected to. Release the mouse button and then the Shift key.



Holding the Shift key enables you to remove a selected node (or group of selected nodes) from a connecting pipe, leaving the pipe intact. We can also use the Shift key to insert nodes into an existing pipe.

- 5 Drag the BackgroundPlate node to the left to make some room. Hold down the Shift key and drag the ColorCorrector1 node onto the pipe connecting the BackgroundPlate to Merge1. When the pipe turns blue, release the mouse button and then release the Shift key.



TIP When inserting a node using the Shift key, make sure that the connecting pipe has changed to half blue, half yellow. Otherwise, you may simply be laying the node over the pipe without actually connecting it to the flow.


Looking at the viewer, you'll now notice that the background looks darker, and our DriveDock CG looks lighter. That's because the BackgroundPlate is now upstream from the ColorCorrector node, so it is the image being color corrected. DriveDock flows into the main stream at Merge1. It never passes through the color corrector, so its color remains unaffected.

- 6 Continue to press either Command-Z (macOS) or Ctrl-Z (PC) to undo the previous commands until ColorCorrector1 is re-inserted after the DriveDock.


Working with Masks

As mentioned earlier, dragging the playhead past frame 75 reveals a problem: since our CG DriveDock is simply pasted over the top of the source footage, it obscures the screen-right actor's hand as it passes into the same region of the frame. We'll use a new technique—masking—to solve the problem.

- 1 The media pool should already be open at the top left. If it isn't, click the Media Pool button to reveal it.
- 2 From the CLIPS bin, drag HandRoto into the Node Editor and position it just to the left of the DriveDock.




- 3 With the new MediaIn1 node selected, press the function key F2 and rename it **HandRoto**.
- 4 Press 1 to load it into viewer 1, and then drag the playhead past frame 75 to preview the animation.



Rotoscoping, or “roto” for short, is the process of drawing outline shapes around picture elements you want to either isolate or remove. We'll learn about Fusion's built-in rotoscoping tools in later lessons. For now, we'll work with the provided roto element of the actor's hand.

If you remember when we introduced the different colors of a node's input arrows earlier, we called the blue triangle the “mask” input. Let's use it now.

- 5 Drag from the output square of HandRoto to the blue, mask input of DriveDock to create a connecting pipe.




Well, that didn't work so well. We produced the opposite result of what we were after: instead of hiding the DriveDock CG in the area of the hand, we removed it from everywhere else!



By default, a mask input assumes you want to keep a node's effect in the white regions and remove it in the black regions. And that's exactly what's happened. The DriveDock image has been masked off so that it only appears where the HandRoto clip appears white.

This is a common problem with a common solution: we can invert the roto matte so that the blacks become white, and the whites become black.

- 6 Select the DriveDock node. In the Inspector, click the Settings button to switch to the Settings section. Enable Apply Mask Inverted. The hand is now masked out of the DriveDock image.



You won't see the inverted image reflected in the thumbnail tile of HandRoto. We selected invert in the DriveDock node; the image coming out of the HandRoto node is still white-on-black. It's not until the image arrives at the DriveDock node that it's inverted. Remember: in our water analogy, we said that the water is moving "under pressure." It only flows in one direction, so what happens in the DriveDock when we enable invert doesn't change the state of the DriveDock image "upstream" from it.

- 7 Press Spacebar to view the final clip.



Secondary Color Correction

Just when you think your shot is complete, notes will inevitably come back from the client. After viewing the final composite, the client has decided that the blue light of the drive dock should change to a red light as the drive bay doors open. The shot is due in 3 hours, and the CG artist who created the animation has flown back home for the holidays. What to do?


Thankfully, Fusion provides all the tools we need to customize the shot and create the desired effect.

A Luma Key node isolates pixels in an image based on their brightness. We'll use one to work with only the blue lights in the CG shot.

- 1 Move to frame 75 in the timeline and then click in the empty gray space of the Node Editor to deselect any selected nodes.

So far, we've used the toolbar above the Node Editor to add nodes. However, the toolbar only provides access to a handful of nodes. Just like the other pages in DaVinci Resolve, all the tools or effects can be found in the Effects library.


- 2 At the top of the Fusion page, click the Media Pool tab to close the Media Pool panel, and then click Effects to open the Effects Library.



- 3 Click the disclosure arrow next to Tools to reveal the categories.
- 4 Select the Matte category and then click Luma Keyer to add it to the Node Editor.




- 5 Drag a connecting pipe from the output square of the DriveDock and hover it over the center of LumaKeyer1. Hold down the Option key (macOS) or Alt key (PC) before releasing the mouse button.




If you ever get confused about which colored input is which, you can use this handy trick to view a list of all available inputs. The Luma Key node in particular has some unusual inputs—a Solid Matte input and a Garbage Matte input. We're only concerned about the main Input for our purposes.

- 6 Select Input from the pop-up list.
- 7 Select LumaKeyer1 and press 1 to load it into viewer 1.
- 8 In the Inspector, drag the Low and High knobs in the range slider to around 0.30 and 0.80, respectively.



The range slider is the primary method for selecting the low and high end of the range of pixels that will be isolated by the luma key. At this point, viewer 1 should display only the blue lighting of the DriveDock element, along with faint highlights on the chassis.




We can use this to mask off the area where we want to apply color correction.

- 9 Select Merge1 in the Node Editor, and then from the Effects Library, select the Color category.

- 10 Click Color Corrector to add it to the Node Editor.

Since Merge1 was the selected node prior to clicking the Color Corrector, it is placed directly after the Merge1 node.



- 11 In the Inspector, drag the puck (the circle labeled “M”) at the center of the color wheel all the way to the right, tinting the image red.



We've succeeded in turning the entire composite red. Now let's mask off the color correction so that it only affects the pixels we isolated with our Luma Keyer.

- 12 From the output square of LumaKeyer1, drag a connecting pipe over the blue, mask input of ColorCorrector2 and release the mouse button.




The red color correction is now isolated to only the bright portions of the robot's back.

Let's blur the luma key a little to create more of a glow effect.


- 13** Select LumaKeyer1 in the Node Editor.

Now let's locate the Blur tool in the toolbar and add it directly after the selected Luma Keyer node.

- 14** In the toolbar, click the Blur tool to add it directly after LumaKeyer1.



- 15** Press 1 to load the Blur node into viewer 1. (Make sure MediaOut1 is still loaded into viewer 2. If not, select it and press 2.)



TIP Pressing 1 or 2 when a selected node is already loaded in that viewer will “unload” the viewer, leaving a blank gray. Just press the viewer number again to reload it.

- 16** In the Inspector, set the Blur Size to around 8.

By blurring the mask, we've inadvertently “washed out” the strength of ColorCorrector2. Let's fix this by increasing the intensity of the color correction.

- 17** Select ColorCorrector2 to load its properties into the Inspector. In the Inspector, drag Saturation to 2.0 and Gain to around 1.7.

We're back to the same color strength, but we now have a little glow around the edges of the light, thanks to the blur.




Animating with Keyframes

We've taken care of half of the notes from the client. Now we need to animate the light changing from the original blue to our new red as the drive doors open. They begin to open at frame 55 and are completely open at frame 70.

- 1 Move to frame 70 and select ColorCorrector2.
- 2 In the Inspector, click the Settings button to switch to the Settings section.

At the very top of the Settings tab is a Blend slider. You'll find these in the Settings tab of every node. They allow you to choose how much of the node's effect to blend in to the incoming image. If you're an editor, think of blend as a cross dissolve: a blend value of 0.0 will output the unaffected source clip; a value of 1.0 will output all the "affected" version at full strength. A value of 0.5 will output a mix: 50% unaffected source clip and 50% affected version.

- 3 Drag the Blend slider to see the effect.
- 4 Click the diamond to the right of the Blend slider and ensure that the slider is all the way to 1.0. The diamond should be red.



When you clicked the diamond button, you enabled auto keyframing, indicated by the change of color. When keyframing is enabled, Fusion automatically sets a keyframe at the current frame. From now on, whenever you move the Blend slider, Fusion will set a keyframe at whatever frame your playhead happens to be set to.

- 5 Move the playhead to frame 55. Drag the Blend slider to 0.0.

Notice that as soon as you dragged the slider, the diamond changed color again, indicating that you've set a keyframe at the current frame: frame 55.

TIP Editing keyframes is covered in detail in the two lessons located in the addendum. For now, if you make a mistake, just undo (Command-Z on macOS, Ctrl-Z on PC) back to before the error.

- 6 Drag the playhead from frame 55 to frame 70. The light changes from blue to red as the Blend value animates from 0 to 1.0.

Adding a Vignette

For a final “flourish,” we’ll add a vignette effect to the shot.

- 1 Select ColorCorrector2.
- 2 In the Effects Library, select the OpenFX category and scroll all the way down to locate the Vignette effect.
- 3 Click the Vignette tool to add it after the Color Corrector2 node.4. Drag the Size slider up to around 0.8 and bring Softness down to about 0.4.



Returning to the Timeline

The beauty of Fusion existing as a page in Resolve is that returning from performing effects work is as simple as clicking back to the edit page. For the smoothest playback from the timeline, let's enable smart caching.

- 1 Click the Edit button at the base of the interface or press Shift-4 to return to the edit page.
- 2 Select Playback > Render Cache > Smart to enable smart caching.

When smart caching is enabled, Resolve will take advantage of idle CPU cycles to render a cache file of the Fusion effects work. As you watch, the bar at the top of the timeline will turn blue, indicating that the clip is fully cached and ready to be played back smoothly (assuming your cache directory is set to a sufficiently speedy drive—you can set its location in the Media Storage section of System Preferences).



Lesson Review

- 1 In the Fusion page, how can you display the output of a node in viewer 1?
- 2 When adding a new node, where is the node added?
- 3 What node would you use to combine two images?
- 4 What is the yellow input on a Merge node?
- 5 True or False? When you're on the Fusion page, you can disconnect the MediaOut node because you have no use for it.

Answers

- 1 In the Fusion page, to display the output of a node in viewer 1, select the node and press the 1 key.
- 2 The new node is added directly after the selected node in the Node Editor.
- 3 A Merge node is used to composite two images.
- 4 The yellow input on a Merge node is for the background input.
- 5 False. The MediaOut node is always the last node connected, and it renders the Node Editor results back to the edit page timeline.

Lesson 2

Compositing Split Screens

The Fusion page excels at creating photorealistic visual effects composites. Creating a visual effect composite is primarily about combining multiple distinct images to make a believable new whole. The goal is to convince the audience that a single live-action camera recorded the resulting shot live, regardless of how fantastical the subjects.

Time


This lesson takes approximately 45 minutes to complete.

Goals

Using Layers from the Edit Page	32
Tracking in the Fusion Page	37
Drawing a Matte	44
Aligning the Clips Using Nudging	50
Restoring Camera Motion	53
Lesson Review	57

One of the most critical aspects when compositing is to have all the different elements follow the same camera motion. These are often called *match moves* because you analyze the background clip's movement and apply it to a foreground clip or vice versa. The Fusion page provides four primary techniques for extracting the camera's motion: point tracking, planar tracking, surface tracking, and 3D camera tracking. In the course of this book, you'll learn about the two methods provided in the free version of DaVinci Resolve 20: the point tracker and the planar tracker.

This first visual effects lesson will analyze the motion in two shots using the standard point tracker to create a split-screen effect. A split screen in visual effects terms is a technique in which different takes are combined to make one better overall take. For instance, suppose we have two actors in a shot. One actor might deliver an excellent performance in take 1, while the other actor delivers their best performance in take 2. The director might want to combine the two performances and make them appear as a single take.




Original clip and completed split screen for Lesson 2.

Using Layers from the Edit Page

The next four lessons of this book use a new project. You'll start by restoring a new archive that includes all the media, bins, and timelines you'll need.


- 1 Open DaVinci Resolve 20, and in the Project Manager, right-click and choose Restore Project Archive.
- 2 In the navigation window, go to the DR20 Fusion Training Media folder and open **DR 20 Fusion VFX lessons dra**.
- 3 In the Project Manager, double-click the DR20 Fusion VFX Lessons project to open it, and then click the Edit button or press Shift-4 to return to the edit page if you're still on the Fusion page.

- 4 From the Timelines bin, double-click **Fusion VFX Lessons -START**.
- 5 Move the playhead over the first red marker in the timeline. Use Command + (macOS) or Ctrl + (PC) to zoom the timeline in once.



This first edit consists of a driver and a passenger in a car. The passenger is listening to the driver, nodding with encouragement. Video track 1 has a much better view of the driver speaking but not of the passenger's reaction.

- 6 In the timeline, select the clip on video 2, press D to disable it, and view the driver speaking and the less affirming passenger on video track 1.




- 7 Press D a second time to enable the video track 2 clip again.

Your job is to perform a split-screen effect. The goal is to combine the driver speaking from V1 with the nodding passenger's better reaction from V2.

To start the split-screen effect, you must bring both takes into the Fusion page.

To bring more than one clip from the edit page into the Fusion page, you must create a Fusion clip.

- 8 Select both clips in the timeline. Right-click the selected clips and choose New Fusion Clip at the top of the menu.



A Fusion clip is created in the timeline and added to the selected bin. The two layers are collapsed into the container.


TIP You can display all the layers of a Fusion clip in the edit page timeline by right-clicking the Fusion clip and choosing Open in Timeline.

- 9 With the playhead still positioned over the clip, click the Fusion page button or press Shift-5.

The two layers are brought into the Node Editor and combined in a Merge node.

A Background node is also added and combined with a separate Merge node. The Background node is added as a sort of canvas to set the resolution size and duration when you have clips of different resolutions or durations within the Fusion clip. We'll delve more into this topic with a great example in the next lesson. For now, just be aware that a Background node will show up in a Fusion clip, and there is a reason, so we will keep it, but we will clean up the layout of the nodes a bit.

- 10 Move Background1, Merge1, and Merge 2 as the bottom row of the node graph. Then position the MediaIn 1 directly above the Merge1 and the MediaIn2 directly above the Merge2.



This creates a more “readable” layout and sets us up for adding additional nodes.

NOTE Feel free to spread out the nodes within the Node Editor as you continue to add nodes in this lesson. In the screenshot above, we’ve already added some extra space so additional nodes won’t overlap.

The MediaIn1 node represents the clip from video track 1, and the MediaIn2 node represents the clip from video track 2. The Background node acts as a virtual canvas and sets the resolution by connecting to the Merge1 background input. MediaIn1 is the foreground for Merge1. The output of Merge1 is used as the background input on Merge2, and MediaIn2 connects to the foreground input of Merge2. This setup identically matches the timeline layering.

To better keep track of each MediaIn node, you can change their default names to be more descriptive of the contents.


- 11 Rename MediaIn1 to **Driver** and MediaIn2 to **Passenger**.

TIP Node names cannot contain spaces, but you can use the underscore character to separate words.

Now, you'll continue with this split-screen composite by tracking the PASSENGER clip and using that tracking data to stabilize it.

Image Processing across DaVinci Resolve Pages

The layout of the pages at the bottom of the DaVinci Resolve interface represents the project workflow. Media is ingested in the media page, is assembled into a timeline edit or cut page, undergoes compositing in the Fusion page, and is then graded in the color page before rendering out through the deliver page.




This order of operations also corresponds to the image-processing pipeline, with some exceptions. The video signal of the source media in the edit page (or cut page) flows to the Fusion page, where it is processed and output to the color page. However, if an effect (Resolve FX or OFX plug-in) is applied in the edit page, it will not appear in the Fusion page but will instead appear on the color page. Edit page effects are applied to the image data signal after it has left the Fusion page. The only exception to this is resizing and repositioning in the edit page. To force visibility of an edit page effect in the Fusion page, you can convert the clip into a compound clip on the edit page timeline.

Tracking in the Fusion Page


The easiest way to create a split-screen effect is to remove all camera motion from both the PASSENGER and the DRIVER clips. You want to eliminate the camera motion so that later you can re-apply camera motion to the new composite from whichever take you prefer. To remove camera motion or stabilize a clip, you must track the clip using a Tracker node in Fusion.

- 1 Select the PASSENGER node.
- 2 In the previous lesson, you learned to add effects using the toolbar and the Effects library. Now, let's learn what very well might be the most common (and quickest) way you can add effects to the Node Editor: the Tool Selection window.
- 3 Press Shift-Spacebar to bring up the Select Tool dialog and type **TRA** because you are looking for the Tracker tool.



- 4 As you type the letters, Fusion begins to isolate all tool names that contain those letters. You can use the Up and Down Arrow keys to highlight different selections, although in this case the node we want—Tracker—is already the default selection.

- 5 Press Return/Enter to add the selected Tracker tool. It is added after the selected PASSENGER node.



When you know the name of the tool you're looking for, the Select Tool dialog will be the quickest way to add it to your Node Editor.

The point tracker you just added is a sophisticated tracking tool that has the option to use DaVinci Resolve's AI Neural Engine in the Studio version. However, even in the free version of the application the point tracker is a real workhorse because it works on the broadest range of shots.

- 6 Select the Tracker node and press 1 to see it in the viewer.

The first step in setting up the tracker is to position the tracker over a high-contrast pattern in the frame that includes the motion you want to track. Because you want to remove the camera motion, you identify objects in the frame that move only because of camera moves.

- 7 Move the playhead to the start of the render range.

TIP You can press Command-Left Arrow (macOS) or Ctrl-Left Arrow (PC) to move the playhead to the start of the render range.

If you're using DaVinci Resolve 20 Studio, the tracker defaults to using DaVinci's Neural Engine-powered IntelliTrack. Positioning the tracking point is all you have to do.

If you're using the free version of DaVinci Resolve, a point tracker is the default, and there is a bit more setup required. When the mouse pointer is over the point tracker outline in the viewer, the tracker displays two boxes: the pattern box and the search box.

TIP The tracker automatically chooses the clip connected to its background input as the clip to track.

- 8 In viewer 1, drag the handle in the upper left corner of the pattern box to position the tracker over the lock on the back door.



TIP For the IntelliTrack, there is no handle; you can just drag the center point.

The point tracker's pattern box expands and displays a magnified view of the area you are over so you can be precise with your selection. The door lock is a high-contrast, well-defined area that stays in the shot the entire time. This makes it a good tracking point.

- 9 When the door lock is centered in the magnified view, release the mouse button.


The outer box of the point tracker is the search box. As the tracker moves frame by frame through the clip, it looks for the pattern you have identified in the pattern box. The larger the search area is, the longer the tracking analysis takes. On slow-moving objects, the pattern probably won't move far from one frame to the next, so you can usually create a relatively small region for the search box. When you have a fast-moving object, you might need to increase the search box size.

TIP IntelliTrack, like other AI tools, doesn't use predetermined rule sets or heuristics like the search box size. Instead, it is trained on real-world examples. This makes it less likely to fail in scenarios like tracking a subject behind brief occlusions. For most cases, it will be more precise and more robust than the normal point tracker. However, for the remainder of this lesson we will use the point tracker, since it is available to all users.

Because the camera does not move very quickly in this shot, the tracked objects will not move very far from one frame to the next. So we can leave the search box at its current size.

When stabilizing a shot, a single point stabilizes only the translation movement (up/down and side-to-side) of that pattern in the frame. The pattern can still scale and rotate. You need at least three points to prevent an image from moving, scaling, and rotating.

- 10 In the Inspector, click the Point button to add two additional tracker points to the tracker list.



TIP You can double-click a tracker in the Tracker List and rename it for organizational clarity.

- 11 In viewer 1, drag Tracker 2 over the highest-contrast area of the seatbelt attachment to the right of our passenger's head.



The high-contrast parts of the car are good tracking points. They are “nailed to the set,” meaning they do not move except for the fact that the camera moves. The passenger and driver are not nailed to the set, so they would make a poor choice for tracking in this shot.

Selecting a third tracking point gets trickier. There are not too many other high-contrast points in the car. Because details outside the car (looking through the window) are at a distance, tracking anything in the window could be impacted by camera parallax. So we are limited to picking a point inside the car. Although in most cases shadows are a last resort when tracking, since they *can* move independently of the camera, the shadows on the door to the left of our passenger will work in this clip.


TIP *Parallax* occurs when camera movement reveals one object behind another that was previously obscured by the foreground object.

- 12 Drag Tracker 3 over the sharp triangular shadow on the door.



To begin the tracking process, you use the tracking analysis buttons along the top of the Inspector.

- 13 Click the Track Forward button to begin the tracking process.




Viewer 1 displays the progress of the trackers until the analysis is complete.

You now have three reliable trackers that follow the camera movement. However, tracking is not the effect; it is only the means to an end. The next step is to put that tracking data to use in stabilizing this clip.

Using a Tracker for Stabilization

After the tracking analysis completes, you can then change the tracker’s operation mode to utilize the tracking data.

- 1 In the tracker’s Inspector, click the Operation tab.




The Operation tab is where you determine how the tracking data is used. The Operation menu at the top of the Inspector contains all available options.

- 2 From the Operation menu in the Inspector, choose Match Move.

The Operation menu options depend on the inputs connected to the Tracker node. To stabilize a clip, you must have the clip connected to the background input, as we have done here. Then you set the match move operation to apply to the background.

- 3 From the Merge menu, choose “BG only.”



- 4 Play the clip to view the stabilized clip in viewer 1.


As the clip plays in viewer 1, notice that it reveals some of the checkerboard background on the left side of the frame. Stabilization works by taking the camera motion from the tracker, inverting that motion, and applying it to the same clip. For instance, if the camera moves down, the tracker pushes the entire frame up to offset the move.

However, this exposes the background because the clip has the same resolution as the output. You'll have to fix this at some point, but for now you just want a very steady clip.

Stabilizing the Driver

There are many methods you could use to perform this split screen, but the most straightforward is to make sure both clips are stabilized. This makes it much easier to combine the two clips. Now that you have some experience stabilizing with the tracker, you can repeat the same steps to stabilize the DRIVER clip.

- 1 In the Node Editor, select the Driver node, press Shift-Spacebar to access the Select Tool dialog, type **TRA**, and add the tracker to it.
- 2 Select the Tracker 2 node and press 1 to see it in the viewer.
- 3 Position the playhead at the start of the render range.
- 4 In the Inspector, add two more trackers to the tracker list and then position all three trackers in roughly the same locations as you did for the PASSENGER clip.



- 5 Once the trackers are correctly positioned, click the Track Forward button.
- 6 In the Inspector, click the Operation tab, and from the Operation menu choose Match Move, and then from the Merge menu, choose “BG only.”

You now have two perfectly stable clips. With the camera motion removed, you can draw a simple mask shape to isolate the halves of each clip you want to use.

Drawing a Matte

A considerable part of compositing has to do with drawing mattes, sometimes called *rotoscoping*. Mattes help you isolate specific areas of your image so that effects are applied only where they are needed.

In the “Getting Started” project, we were working with a CG element that had an alpha channel—a special, hidden channel of image data that defines which parts of an image are solid and which parts should be transparent. (We cover alpha channels in more detail in the addendum.)

Since there is no alpha channel in either of these pieces of footage, we need to create a matte that will define which parts of the Passenger clip should be solid and which parts should be cut away to reveal the Driver clip.

- 1 Select the Merge2 node and press 2 to view it in viewer 2.


The Merge2 node has the Passenger clip connected as the foreground, so viewing the merge will only display that clip until we apply the mask.

- 2 Drag the playhead to the start of the render range.

It’s best to add the polygon mask shape while you’re positioned at the start or end of a render range because the polygon mask shape auto-animates—meaning, if you later change the shape on any other frame, the shape interpolates (changes shape over time, morphing from the start shape to the new, changed shape). This makes it very quick to rotoscope a moving object but can be confusing if you’re unaware of the behavior.


TIP To disable auto-keyframing on spline shapes in the Inspector, click the red animation diamond at the bottom of the Inspector labeled “Right-click here for shape animation.”

- 3 Drag the Polygon shape tool from the toolbar just below Merge2 for better organization.




When a Polygon mask tool is selected, drawing tools appear above the viewer, and you can begin to draw a shape even before connecting the node into your composite.

- 4 To increase the size of the viewer and see more detail around the area you're rotoscoping, position the mouse pointer on the line between the transport controls and the toolbar, and then drag down to increase the viewer's size.



We won't need two viewers for this task, so we can gain more working space by viewing a single viewer for the Merge node.

- 5 With the Merge2 node still shown in viewer 2, click the Single Viewer button located in the upper right corner of viewer 2.



Now, viewer 2 takes up the entire top half of the screen to give you a good canvas on which to draw your matte.

NOTE The terms *matte* and *mask* are often used interchangeably. In this book, matte refers to a grayscale image that identifies transparent and opaque pixels. A mask is the application of a matte. That is, you use a matte to mask off part of an image.

- 6 To ensure that you draw the matte around the frame, move the mouse pointer over the viewer. Hold down the Command (macOS) or Ctrl key (PC) and scroll the middle mouse wheel to zoom in until you are able to see around the entire frame.

To draw a polygon shape around the left side of this image, you'll need no more than 10 to 15 control points. You want to use as few points as possible but as many as needed to cover the area correctly.


TIP You can always add and subtract points later, but the more points you add, the more you'll have to manage.

- 7 With the Polygon node still selected in the Node Editor, click in the upper left corner of the frame to add a control point. Then, move your pointer down to the lower left corner and click to create a spline running down the left side of the frame.




You don't need to add many points along the straight edges of the frame, because they are straight. However, you'll want to be more detailed as you continue the shape between the characters.

- 8 Move the mouse pointer across the bottom of the frame until you reach the driver's blue shirt, and then click to add a point under his blue shirt.




TIP Holding the middle mouse button and dragging in the viewer will pan the viewer, making it easier to see various parts of the frame while you are zoomed in and drawing your matte.


- 9 Move your pointer between the passenger's yellow top and the driver's blue shirt, and then click to add a new control point just before they separate.



- 10 Add another point along the Driver's shoulder just past the sun patch on the back seat.




- 11 Move your mouse pointer up and over to the left to the lower left corner of the back door window.




- 12 Move your mouse pointer halfway up the window frame between the front and back door and click to add a control point just before the driver's hair overlaps with the window frame.



- 13 Move your mouse pointer up and into the center of the window frame to avoid the driver's hair.



- 14 Add a point at the top of the frame and then move your mouse pointer over the first point you started with.
- 15 When the mouse pointer displays a circular icon, click the first point you added or press Shift-O to close the shape.



TIP Many problems occur when you assume that you have closed a shape, but it is still open. Making sure you close the shape by either using the keyboard shortcut (Shift-O) or clicking directly on the first control point will save you a considerable amount of troubleshooting time later.

Now that you have a shape to create a mask, you need to connect the polygon node into the composite.

- 16 Drag the output of the Polygon1 node to the blue mask input on Merge2.



Your new polygon matte is now “choosing” to merge only the passenger (the screen-left actor) from the Passenger clip over the top of the passenger in the Driver clip. Let's switch back and forth so you can see the results more clearly.

- 17 Select Merge1, and then press 2 to load it into viewer 2.

Now let's switch back to Merge2 to view the split screen.

- 18 Select Merge2, and then press 2 to load it into viewer 2.

You just confirmed that the split screen is working: the screen-right driver actor stays the same in both Merge nodes, but the passenger clearly jumps between when switching between the two Merge nodes.


It's worth pausing for a moment here to get a better understanding of what's going on. We've drawn a matte using the Polygon node that essentially decides where Merge1 will "do its job" and where it won't. In the white area of Polygon1, Merge2 will "work." In other words, it'll do its job of compositing the pixels of Merge2's foreground input—PASSENGER—over the top of the pixels of Merge1's background input—Merge1 (which is essentially just showing the DRIVER node). But where the matte is black, Merge2 will not apply any effect. In other words, it will leave the pixels coming into its background input unchanged. The result is that we get the screen-left actor of PASSENGER composited over the top of the existing version of her in the DRIVER take, but the screen-right actor remains unchanged.

Aligning the Clips Using Nudging

At this point, we could call the shot "final" and send it on for review. However, there are a few final touches we can do to make this shot more realistic.

- 1 Make sure Merge2 is loaded into viewer 2. Press the Spacebar to play through the sequence.

There are two remaining problems: First, we've removed all motion from the frame by stabilizing both shots. Directors like motion in the frame, so the director won't be happy with us removing it. Second, there's no guarantee that each take started with the camera in exactly the same position, so there's a slight misalignment in the positioning of the two stabilized shots. Look carefully at the border between the two actors, and you'll notice a "tear" resulting from the misalignment.




Let's start by fixing the latter issue: aligning the starting position of the two shots.


- 2 Click the connecting pipe between Polygon1 and Merge2 to disconnect it.

We're just temporarily disconnecting Polygon1; when we're done aligning the clips, we'll reconnect it.

- 3 Move the playhead back to the start of the timeline. Select Merge2, and then in the Inspector, change the Apply Mode to Difference.




Sometimes you'll find that you need to "break" a shot to perform useful adjustments. Here, we've changed the method by which Fusion composites the foreground and background. That's what apply modes do: they blend foreground and background in different (and often artistically interesting) ways. In Difference apply mode, whenever overlapping foreground and background pixels are the same, they'll appear black. Wherever they're different, they'll appear as light. Now we should expect the actors to stand out, since they'll be in different positions in the two different takes. But all things considered, the background of the car should be identical in both shots.



- 4 In the Inspector, click and drag in the Center X and Center Y numeric entry fields to nudge the alignment of the images until the majority of the car background turns black. For fine adjustments, hold down the Command key (macOS) or Ctrl key (PC) while dragging. For extremely coarse adjustments, hold down the Shift key (though in the case of this shot, such large adjustments should not be necessary).

TIP Due to lens distortion and subtle light changes between takes, you'll never get perfect alignment of the shot throughout the frame. Focus instead on getting alignment where it counts. In the case of this shot, that's toward the center of the shot where the split screen divides between the two actors.

You'll find that you'll need to go back and forth between X and Y, since adjustments in X will negatively impact the alignment in Y, and vice versa. Alternately adjusting X then Y will allow you to home in on a final optimal alignment. Final values of around 0.49 and 0.51 should produce the desired alignment.



- 5 With alignment complete, return Merge2's Apply Mode to its Normal blend state and reconnect Polygon1 to the blue mask input of Merge2.

For the most part, the tear between the actors is fixed. We'll add a little blur to the matte to soften the transition and hide any remaining mismatch due to shadows and lighting differences between the takes.

- 6 Select Polygon1. In the Inspector, drag Soft Edge to around 0.02 to smooth the border between the two takes.



If you notice that the screen-left actor is bleeding into the split-screen border, move back to the start of the sequence (where you initially created the shape) and drag the border points of the shape to eliminate the problem.

Restoring Camera Motion

Let's address the other issue now: reintroducing movement to the frame. Restoring camera motion is done by reapplying the tracking data, but instead of steadying the clips as we did to stabilize them, you will now unsteady the composite.

- 1 Choose Workspace > Reset UI and click the single viewer icon to return to a dual viewer setup.
- 2 In viewer1, load Tracker 2, and in viewer 2, load the Merge2 node.

- 3 Select the Merge2 node, press Shift-Spacebar to open the Select Tool dialog, type **TRA**, and then select Transform (Xf).



The Transform node is added directly after Merge 2 and will be used for two final steps. First, the Transform node will be used to reapply the tracking data, and second, it will allow us to scale up the final composite a tiny bit to hide some imperfections around the edges.


- 4 Select the Transform node and press 2 to see the results in viewer 2.

When you have tracked an image with a Tracker node, the data from the tracker is published. This allows other nodes to reuse the same data without you having to copy and paste the Tracker node multiple times throughout a composition. You access this published tracking data by right-clicking over a parameter in the Inspector or the onscreen control in the viewer and using the Connect To menu.

- 5 In the viewer, right-click over the transform's center point control.



- At the bottom of the contextual menu, choose Transform1: Center > Connect To > Tracker2 > Unsteady Position.




The Connect To submenu is used to link various published parameters or data to other parameters. Since we added a tracker to the PASSENGER clip and a second tracker to the DRIVER clip, both trackers' published data is shown in the menu. This allows you to reapply the camera motion from either clip.

Choosing Tracker 2 takes the camera motion from the DRIVER clip, and choosing Unsteady Position applies the tracked motion data to the transform.


- Play the composite to view the split screen.

TIP For optimal quality, it's best to try to construct your node trees so that nodes that transform images are placed next to each other in the node tree. Specific nodes that transform (scale, position, rotate) an image will maximize quality by performing the transforms from adjacent nodes in one pass. This is called **concatenation**. The Transform, Tracker, DVE, and Merge nodes all concatenate as long as a mask is not connected to any of the nodes.

The last piece of the puzzle in finishing this composite is to scale the final result so the image fills the frame. Because of the stabilization, you can see that the lower right corner of the frame reveals a tiny sliver of the background. The way to correct this is to scale the final composite to fill the image.




- 8 In the Inspector, increase the Size control to around 1.01 to fill the frame with the finished composite.



- 9 Play the composite to view the final shot.

Your split-screen composite now has a better overall look with the added camera motion. You've taken these two shots from the edit page timeline into a completed composite, using a couple of Tracker nodes, a simple Polygon mask, and a Transform.



Completed node tree for Lesson 2.

Lesson Review

- 1 True or False? A Fusion clip is used to take multiple timeline layers from the edit page into the Fusion page.
- 2 True or False? Green is the color of the Effect mask input on a Matte control node.
- 3 True or False? You must click the Keyframe button in the Inspector to animate a Polygon matte.
- 4 True or False? The Tracker is used to stabilize clips in the Fusion page.
- 5 True or False? In the Merge menu of the Tracker's Operation tab, choosing "BG only" will stabilize the clip that is connected to the yellow background input of the Tracker node.

Answers

- 1 True. A Fusion clip is used to take multiple timeline layers from the edit page into the Fusion page.
- 2 False. The green input on any node is the foreground input.
- 3 False. No button needs to be enabled. Polygon mattes auto-animate by default.
- 4 True. The Tracker is used to stabilize clips in the Fusion page.
- 5 True. In the Merge menu of the Tracker's Operation tab, choosing "BG only" will stabilize the clip that is connected to the yellow background input of the Tracker node.

Lesson 3

Replacing a Sky

One of the most common problems with shooting outdoors is the sky. Either the location or time of day you are shooting lacks the mood your scene calls for, or your camera lacks the dynamic range to expose the foreground without overexposing the sky. The good news is, as far as visual effects go, sky replacement isn't that difficult once you know the basic node structure.

Time

This lesson takes approximately 45 minutes to complete.

Goals

Retaining a Clip's Resolution	60
Controlling a Composition's Resolution	64
Compositing Using the Darken Apply Mode	69
Adding Effects from the Effects Library	71
Fixing Holes in a Key	74
Embedding Alpha into an Image	75
Tracking the Sky into Position	78
Fixing Interrupted Trackers	82
Blending In the Original Sky	83
Lesson Review	85

In this lesson, you'll learn an indispensable node structure for a sky replacement. During the process of learning how to perform a sky replacement, you'll also look closer at compositing images of different resolutions.



Completed sky replacement for Lesson 3.

Retaining a Clip's Resolution

This lesson will continue with the same project you restored in the previous lesson. We'll open the same timeline and begin with the clips located at the second red marker.

- 1 Open DaVinci Resolve 20 and, from the Project Manager, open the **DR20 Fusion VFX lessons** project.
- 2 In the Timelines bin, double-click the **Fusion VFX Lessons - START** timeline.
- 3 Move the playhead over the second edit and the second red marker.



DaVinci Resolve in general, and the Fusion page specifically, are resolution independent. You can efficiently work with any number of elements at different resolutions. But knowing what resolution independence means and dealing with it in your node tree are two very different things. When constructing composites with mixed resolutions, you must be aware of how images are handled, not only between the edit and Fusion pages but also within the Fusion page itself.

Like the clips you worked with in Lesson 2, this second edit in the timeline also includes two layers.

- 4 Select the foreground clip on video track 2 and press D to disable this clip in the viewer and reveal the Sky with Rainbow image on video track 1.

In this two-layer composite, the Sky with Rainbow is a still photo with a resolution of 3888 x 2187, and the foreground clip on video track 2 is 1920 x 1080. The timeline is also set to 1920 x 1080 HD.



As you can see, the wide blue sky has a nice rainbow and clouds, which we want to see in the sky replacement composite. Since this is a high-resolution photo, we can scale and reposition it without losing quality.

- 5 Select the Sky with Rainbow clip on video track 1 in the timeline, and then in the Inspector, use the zoom controls to scale up the clip to about 1.5 and drag the X position to around 400.




Because Fusion is fully integrated into DaVinci Resolve, the layering and transforms you perform on the edit page timeline carry over to the Fusion page.

- 6 Select the foreground clip on video track 2 and press D to enable this clip in the viewer.
- 7 Select both clips in the timeline, and then right-click and choose New Fusion Clip from the menu.

As you saw in Lesson 2, a new Fusion clip is created in the timeline and added to the selected bin. The two layers are collapsed into a container and can be brought into the Fusion page.

- 8 Position the playhead over the new Fusion clip, and then click the Fusion page button or press Shift-5. Rearrange the nodes similar to how you rearranged them in the previous lesson: Background node > Merge1 > Merge2, and then MediaIn1 directly above Merge1, MediaIn2 directly above Merge2.




NOTE This lesson uses dual viewers. If your workspace is using a single viewer, click the Dual Viewer button in the upper right corner of the viewer.

- 9 Select MediaIn1 and press 1 to view it in the left viewer.


The two layers are brought into the Node Editor and are combined via a Merge node while the background node is used to define the resolutions, matching the timeline resolution. The MediaIn1 node represents the sky clip from video track 1, and the clip from video track 2 is represented as the MediaIn2 node.

- 10 Hover your mouse pointer over viewer 1 and drag the middle mouse button down and to the left until you can see the resolution in the top right corner of the frame.



When using a Fusion clip, the resolutions of the nested clips are set to timeline resolution. This is the working resolution of the composite.

- 11 Select the MediaIn1 node, and then click the Transform tool in the toolbar. Press 1 to see the Transform node in viewer 1.



The Transform node is added to the sky clip. Since this is a large-resolution image in a 1920 x 1080 frame, we should be able to scale it back a considerable amount and see the remaining image that falls outside the frame boundary.

- 12 Select the Transform node and, in the Inspector, drag the Size slider down to around 0.5.



As you scale back the image, it reveals transparency around the edges as if the background clip has a resolution of 1920 x 1080. The beauty of a Fusion clip is that it allows you to use the intuitive tools of the edit page to layer, trim, and align your clips before bringing them into the Fusion page. However, the new Fusion clip is created at the timeline resolution. If your source clips and timelines have the same resolution, as you had in Lesson 2, then the Fusion clip is the most efficient way to set up your composite. However, if you are dealing with clips larger than the timeline resolution, a Fusion clip will resize all the sources to fit. This is not the best setup for dealing with a large photo of the sky for which we only want to use a small area. Let's look at a different technique that will allow us to work with clips at mixed resolutions.

Controlling a Composition's Resolution

Unlike a Fusion clip, bringing a single clip from the edit page to the Fusion page maintains the clip's original resolution, regardless of the timeline resolution setting. This means you're always using the highest-quality compositing in the Fusion page when dealing with a single layer from the edit page.

- 1 Return to the edit page and choose Edit > Undo to undo the Fusion clip in the timeline.

With the clips returned to individual layers in the edit page, we can disable video track 2 and bring the sky image into the Fusion page.


- 2 Select the clip on video track 2 and press D to disable the clip.
- 3 Select the Sky image on video track 1 and reset the scale you applied in the Inspector.
- 4 Switch to the Fusion page.



If a clip or track is disabled, clicking the Fusion page button takes the first enabled clip under the playhead. In this case, it switches to the Fusion page with only the sky image from video track 1.

There is also no background node in the composition, so the resolution seen above the frame is now defined by the original source image resolution (3888 x 1518). Now you're compositing with the highest-quality sky image, but you still need to bring in the video track 2 clip.

- 5 Open the media pool, and from the Clips bin, click the metadata badge in the lower right corner of the Blackmagic URSA clip.



The metadata badge reveals a pop-up with some basic metadata about the clip. One piece of the metadata is the resolution, which is 1920 x 1080. Dragging this clip from the media pool into the Node Editor retains the clip's native resolution.

- 6 Drag the Blackmagic URSA clip to an empty place in the Node Editor and close the media pool.

- 7 With the MediaIn 2 node selected in the Node Editor, press 1 to see it in viewer 1.

Above the frame, the clip displays its resolution as 1920 x 1080.

Just like single elements brought in from the edit page, elements from the media pool always retain their original resolution.

To keep the media organized, let's rename the nodes so that the names are more descriptive.

- 8 Rename the MediaIn1 node to **Sky** and the MediaIn2 node to **Actors**.


With all the media at its highest resolution and our nodes named appropriately, we can begin by merging the Actors over the Sky. However, since the Merge node is used so often, this time we will learn a special quick method of adding one to our composition.

- 9 Drag the output of the Actors node onto the output of the Sky node to automatically create a Merge node.



A Merge node automatically appears, connecting the Actors as the foreground and the Sky as the background.

- 10 Select the Merge node and press 2 to see it in viewer 2.



Viewer 2 shows a composition that uses the resolution of the larger sky image with a small 1920 x 1080 HD foreground in the middle.

A fundamental concept in Fusion is that the background input of a Merge node determines the resolution of the Merge node's output. This is how you can control the resolution when mixing footage of different sizes. In our case, the background input is the large sky image, not the full HD resolution of the foreground clip and timeline. To correct the resolution of our composite, we will manually add a Background node that was automatically created when we used the Fusion clip.

TIP The Resize and Crop nodes also modify the resolution of a clip.

- 11 Drag the Background tool (the first tool at the far left of the toolbar) from the toolbar to an empty place in the Node Editor.
- 12 In the Inspector, click the Image tab.

The Background tool's Image tab in the Inspector includes controls for the background image resolution.

- 13 Click the Auto Resolution button to disable the automatic resolution setting and enter **1920** as the width value and **1080** as the height.

The background input of the Merge tool determines the resolution of the Merge tool's output. So by connecting a 1920 x 1080 HD image to the Merge's background input, we can set the composite's resolution. The easiest technique to accomplish this is to create a new Merge node to connect the Background node.


- 14 Select the Background node, and from the toolbar, click to add a Merge node.



- 15 Select the Merge2 node and press 1 to see the solid black color of the Background node in the viewer.

The Merge node now uses a resolution of 1920 x 1080. If we connect the larger Sky node to the foreground, it will be cropped (not resized) by the Merge2's resolution.


- 16 Click the connection line near the input of Merge1 to disconnect the Sky node.



- 17 Drag the output of the Sky node to the green foreground input of the Merge2 node.

As soon as the connection is made, viewer 1 shows the Sky node at its full resolution but cropped by the 1920 x 1080 Merge2 node.

- 18 Drag the output of the Merge2 to the background input of the Merge1 node.



TIP Click in the viewer and press Command-F (macOS) or Ctrl-F (PC) to fill the viewer with the image.

The MediaOut1 loaded in viewer 2 shows exactly what we had on the edit page. One layer lies over another without any transparency. That's because the Merge1 places the Sky foreground over the Actors (green foreground input over yellow background input), and since there is no mask or alpha channel in the Actors, there is no transparency.

Compositing Using the Darken Apply Mode

Compositing typically requires an alpha channel or matte, as we used in Lessons 1 and 2. Mattes or alpha channels are used to tell the software which areas of the foreground it needs to cut away to reveal the background. In our case, we have two elements, the live-action scene of the actors and our sky picture, neither of which has an alpha channel. When starting a sky replacement, some people might be inclined to reach for a Luma Keyer immediately. A Luma Keyer is a tool that creates a matte based on the luminance in an image, like an overexposed sky. However, it is usually not the right tool for sky replacement. At least it's not the right tool to handle the edges of a sky replacement. A much better choice is to start with an apply mode located in the merge you already have.

- 1 Select Merge1 and, in the Inspector, set Apply Mode to Darken.



The Darken apply mode shows the darkest pixel wherever the foreground and background overlap. Since the sky image is darker than the overexposed sky in the actors' clip, most of the sky image displays. However, there are lots of issues we need to deal with before getting a good-looking sky replacement.

TIP The Channel Booleans node also contains a Minimum mode and can be used in place of a Merge.

- 2 Select the Sky in the Node Editor, and in the toolbar, click the Transform node.



Even though the larger sky image is cropped (not resized), you still have access to the entire sky image. You are just looking at it through a 1920 x 1080 window. The Transform node will allow you to reposition the larger sky frame within the crop window.

- 3 In viewer 2, drag the center onscreen control slightly to the right to include more of the rainbow. (The Center X control in the Inspector can be set anywhere from 0.6–0.7.)




Adding Effects from the Effects Library


Although switching to Darken mode in the previous section took care of the edges, we'll still make use of a Luma Keyer to handle the transparency we see over the actors and water. Since the actors' clip has no alpha channel built into it, a Luma Keyer can create one for us.

Since we know the name of the effect we want to add, instead of using the toolbar or the Effects Library, we can search for it using the Select Tool dialog.

- 1 Click in an empty area of the Node Editor, to the right of the Actors node.
By clicking in an area of the Node Editor, you are identifying the location of the next node you add using the Select Tool dialog.
- 2 Press Shift-Spacebar to open the Select Tool dialog and type in **luma** to locate the Luma Keyer.
- 3 With the Luma Keyer highlighted in the dialog, press Return (macOS) or Enter (PC) to add the tool to the Node Editor.



- 4 Drag a second output from the Actors node and connect it to the yellow input of the Luma Keyer.



Nodes can have multiple outputs without causing any reduction in quality or duplicating layers.


- 5 Press 1 to see the Luma Key in viewer 1.



Right away, we can see a semitransparent checkerboard pattern that represents transparency from the Luma Keyer settings. Because you will create a matte, it can be helpful to view the alpha channel in the viewer instead of the RGB image that is currently visible.


TIP An *alpha channel* is a fourth channel that accompanies the red, green, and blue channels of an image. Alpha channels determine which parts of an image are opaque and which parts are transparent.

- 6 In viewer 1's toolbar, click the Color controls button and select the alpha channel (or click in the viewer and press the A key).



The viewer displays a grayscale image that represents the transparency based on the Luma Key. Areas that are pure white will be transparent, and areas of pure black will be opaque. Areas of semitransparency will be some shade of gray.

- 7 In the Inspector, drag the High threshold slider to the left until the majority of the sky appears solid white. The High threshold should end up at around 0.9.



An important thing to understand about mattes is that they need to contain pure black and pure white. Gray areas, as mentioned above, will be a semitransparent mix of foreground and background. That's OK for glass objects, but most of the time, areas will be either all foreground or all background. Right now, the sky is completely white, but the foreground of the actors isn't pure black.

- 8 Drag the Low threshold slider slightly to the right to darken as much of the actors and rock as you can without darkening the sky. The Low threshold should end up at around 0.9.



- 9 To smooth the harsh edges, drag the Blur slider to about 0.5.

We now have areas of mostly pure black and pure white. Unfortunately for us, there are many highlights on the actors and some darker areas in the upper left of the sky that will cause problems in our matte.

Fixing Holes in a Key

The remaining problems we have are the areas where white still shows through due to the very bright highlights on our actors' foreheads and clothes. Instead of laboriously drawing a matte or painting out the holes, we will use an easier method. Enter the Erode/Dilate node. An Erode/Dilate node expands or shrinks the edges of a matte.


- 1 In the Node Editor, select the Luma Keyer, press Shift-Spacebar to open the Select Tool dialog, and type **erode**.
- 2 With the Erode/Dilate node selected in the dialog, press Return (macOS) or Enter (PC).



- 3 Press 1 to view the added node in viewer 1.
- 4 In the Inspector, in the Amount slider, type **-0.003**.


Moving the Amount slider left (negative) expands the edge of the matte covering up the holes. Unfortunately, it also expands the border around the hillside edges. How do we fix that? We'll add another Erode/Dilate node and set the amount in the opposite direction.

- 5 Using the Select Tool dialog, add a second Erode/Dilate node directly after the first Erode/Dilate.



- 6 Press 1 to view the second Erode/Dilate in the viewer.

- 7 In the Inspector, in the Amount slider, type **0.007**.




TIP If a slider in the Inspector does not reach the value you want, you can often type in the number to extend the slider's range.

The Erode/Dilate has brought us closer to having a clean black-and-white matte, but visual effects are often a game of whack-a-mole, where you fix two problems and reveal another. The Erode/Dilate has not removed a few white spots in the actors that we will have to fix. We also need to combine this newly generated matte with the actual RGB image of the actors to get an idea of our finished shot.

Embedding Alpha into an Image

The matte you created with the Luma Keyer must now be combined with the RGB image of our actors. When combining mattes with RGB images, one of the most useful nodes is a Matte Control node. One of its primary functions is to take the alpha channel from the image connected to foreground input and copy it into the image connected to the background input.


- 1 From the toolbar, drag the Matte Control tool to the Node Editor near the Erode/Dilate2 node.




- 2 Drag a third output from the Actors node to the yellow background of the Matte Control.

The background input on a Matte Control is used to connect the destination image where you want to embed the alpha.

- 3 Press 1 to view the Matte Control in the viewer.
- 4 Click the Color button above viewer 1 or press the C key to view the RGB channels instead of the alpha channel.
- 5 Drag the Erode/Dilate 2 node output to the green foreground input of the Matte Control.



- 6 To embed the alpha channel created by the Luma Keyer into the Actors image, in the Inspector, set the Combine menu to Combine Alpha and enable Post Multiply Image at the bottom of the Inspector properties.




By choosing Combine Alpha, we're telling Fusion to copy the alpha channel from our Luma Key (entering the node on the foreground input) into the alpha channel of our Actors image (coming in on the background input).

OK, but why did we check the Post Multiply Image option? The short answer is that there are two types of alpha channels. Premultiplied alpha channels are typically created by computer graphics in combination with the RGB image. Straight alpha channels are commonly created by image processing separate from any RGB image, as we have done here with the Luma Key. The Merge node in Fusion always assumes that the incoming foreground image with alpha is premultiplied. Since ours isn't yet, we need to perform the premultiplication.

TIP The checkbox is called Post Multiply simply because it's happening after (post) the alpha channel has been added to the main RGB image. The result is a premultiplied image.

You now have the actors with an embedded alpha channel, but if you look in the viewer, all you'll see is the washed-out sky we're trying to replace. Typically, in a matte, the white areas are opaque, and black areas are transparent. That is the opposite of what we have. So we'll invert the matte.

- 7 In the Matte Control's Inspector, click the Invert Matte checkbox (just above the Post Multiply Image checkbox).



Before going any further, it helps to view the composite of the foreground with the sky. The Matte Control output forms our new foreground with alpha, while the output of Merge1 contains the nice clean edges for our composite. Now you'll merge the two together.

- 8 Select the Merge1 node and click the Merge tool in the toolbar to add a third Merge.
- 9 Drag the output of Matte Control to the green foreground input on the Merge3 node.




- 10 Select the MediaOut node and press 2 to view it in viewer 2.
- 11 Click the Play button to review the composite.

The results are displayed in viewer 2. The image is much closer to what we want, but the sky appears very flat and fake, so fixing that will be your next task.

Tracking the Sky into Position


As you play the composite, it looks fine when the image is still, but as soon as it plays and the camera moves, the illusion falls apart. For this sky replacement to work, the sky must move as the camera moves. Instead of using the Tracker node as you did in the previous lesson, you'll apply the Tracker as a modifier.

- 1 Select the Merge2 node that is connected to the Sky node in the Node Editor.



You'll need to apply the Tracker modifier to a node that contains position controls. The Merge tool includes center X and Y controls that can be used to reposition the clip connected to the foreground input.

- 2 In viewer 2, right-click over the Merge's center onscreen control, and from the menu, choose Merge 2: Center > Modify With > Tracker position.




TIP Alternatively, you can right-click over the center control in the Inspector to attach the Tracker.

The Tracker modifier is attached to the Merge's center X and Y controls. Although the process of tracking is the same as the Tracker node, the Tracker modifier is a single-point tracker that tracks up and down and side to side movement, so it is more limited than the multipoint tracker you used in the split screen. Still, it is perfect for quick, simple tracks, as we have here.


Adding a Tracker modifier displays the tracker pattern and search rectangles over the center position in the viewer. Since it is a modifier, the tracker controls are displayed in the Merge2's Modifiers tab.

- 3 At the top of the Inspector, click the Modifiers tab to display the tracker controls.



The Tracker modifier assumes that you want to track the background of the Merge node. In our case, however, we want to track the Actors node.

- 4 From the Node Editor, drag the Actors node to the Tracker source field at the top of the Inspector.



NOTE As you drag a node from the Node Editor into an Inspector source field, the node will appear to move at first but will snap back into its original location once the mouse pointer leaves the Node Editor.

- 5 Move the playhead to the start of the render range.

Just as you did in the previous lesson, you need to position the Tracker over a high-contrast pattern that moves precisely how you want the sky to move. For this shot, the ridge in the background has a few rocks that stick out. These would make good high-contrast tracking points that we can use for the Tracker.

NOTE As in Lesson 2, this lesson describes using the Point tracker found in DaVinci Resolve and DaVinci Resolve Studio. When using DaVinci Resolve 20 Studio, the default is to use the new Intellitrack. The steps are identical in this lesson except for step 6. If you are using Intellitrack, you reposition the tracker by dragging the center of tracker point, not the handle as described and shown in step 6. All the remaining steps work for both the Point tracker and Intellitrack.

- 6 In viewer 2 drag the handle in the upper left corner of the pattern box to position the Tracker over the very small, sharp rock sticking up from the ridge between the two actors.



Unlike when viewing the Tracker node, the pattern box does not expand to show a magnified view of the area you are over. However, the Inspector does contain a small preview of the selected area.

Since this camera does not move very fast, we can leave the search rectangle at its default size.

- 7 In the Inspector, click the Track Forward button to begin the tracking process.

The viewer displays the progress of the track even though it clearly jumps around frame 90 when the actor's head obscures the rock. You'll need to find a way to continue the tracking for the remainder of this clip. Although the rock you initially selected is fine for the first half of the clip, it won't be the solution for the second half.

TIP If the tracker is interrupted prior to frame 90, try repositioning the pattern box or making the pattern box slightly smaller, and then track the clip again.

Fixing Interrupted Trackers


You now have a solid track for the first 90 frames or so, but you'll need another solution for the remaining 70 frames. Instead of giving up hope, you can keep the tracking data of the initial rock you selected for the first half of the shot and now identify a new tracking point for the remainder of the shot.

- 1 In the render range, drag the playhead to frame 90.



This is the last good frame of tracking data from the first rock you tracked. At this point, you need to locate a new high-contrast object to track.

- 2 If the Track1 section of the Modifiers tab has closed, double-click the label Track1 to re-open it.
- 3 In the Inspector, set the Path Center menu to Track Center (Append).



The Track Center (Append) setting allows you to move the pattern box over a new object and continue the tracking based on this new point.

- 4 In viewer 2, drag Tracker2's handle in the upper left corner of the pattern box to place the tracker over the sharp rocks on the right side of the actress.



- 5 Click the Track Forward button to pick up the tracking process from frame 90.

Fusion automatically blends the two analyses for Tracker1 to create one seamless motion path. You now have a steady track that follows the position of the camera movement. Since you applied the tracker as a modifier to the Merge center X and Y, the motion of the sky automatically follows the tracker.

TIP If you notice black at the edge of the frame, it might be that the tracking data is pulling in black from outside the sky image's frame. To fix this, simply readjust the sky positioning using Transform1.

Blending In the Original Sky


If you leave the sky replacement as it appears now, it just looks like a pasted-on sky. By color-correcting the Sky clip, we can adjust how it blends with the original sky, creating a more natural composite.

- 1 Select the Sky clip and add a Color Corrector node using the Select Tool dialog (Shift-Spacebar).

- 2 Adjust the Gamma up to blend back some of the original sky. A value of around 1.5 should work.



Some sky replacements require a few mattes, and some require none. Some might require a bit of color correction to get the foreground and background to match better. The goal of this lesson was to give you a basic structure you can build on for any sky replacement you may come across.



Completed node tree for Lesson 3.

Lesson Review

- 1 True or False? Clips from the media pool use the timeline resolution when added to the Fusion Node Editor.
- 2 True or False? The Merge node contains apply modes such as Screen, Multiply, and Darken.
- 3 True or False? To offset a tracking point when a pattern becomes obscured, you must create a new tracking point.
- 4 True or False? Tracker modifiers have all the same controls and functionality as the Tracker node.
- 5 True or False? A Luma Keyer is used to create a mask from the brightness in an image.

Answers

- 1 False. Adding a clip from the media pool to the Node Editor uses the clip's native resolution.
- 2 True. The Merge node contains apply modes such as Screen, Multiply, and Darken.
- 3 False. To offset a tracking point, you must set the Path Center menu to Track Center (Append).
- 4 False. Tracker modifiers track only a single tracking pattern, while a Tracker node can track multiple patterns.
- 5 True. A Luma Keyer is used to create a mask from the brightness in an image.

Lesson 4

Replacing Signs and Screens

You’ve learned how to match move using the standard Tracker; now it’s time to learn a more sophisticated method that is ideal for replacing tablet screens, billboards, or signage on the sides of vehicles. This type of match move is most efficiently done using a Planar Tracker. Planar tracking, as the name suggests, relies on there being a flat, planar surface for it to work.

Time

This lesson takes approximately 40 minutes to complete.

Goals

Tracking Planar Surfaces	88
Painting with the Clone Tool	93
Using Photoshop PSD Layers	96
Combining Mattes and Images	102
Match Moving with the Planar Transform	104
Finalizing the Composite	106
Lesson Review	109

In this lesson, you'll add a new sign to the side of a moving van. The process of adding a new sign to a moving vehicle (or a screen to a tablet) is made up of three parts. First, you'll need to track the flat surface as it moves. Then, using Fusion's Paint tool, you'll remove any tracking markers to create a clean surface. Once that is complete, you can composite a new logo using the tracking data.




Completed composite for Lesson 4.

Tracking Planar Surfaces

As you have experienced so far, the single-point tracker is the simplest tracker in the Fusion page. Although it works well on many shots, it's not the most optimal tracker in some specific cases. For instance, what happens if the camera changes perspective? No matter how many point trackers you use, they are still independent 2D points that can only process limited camera motion. A Planar Tracker tracks multiple points across a defined flat surface, such as a billboard, TV screen, or as in the case in this lesson, the side of a van. In doing so, it calculates a more accurate 2.5D track that can contain more complex motion. Let's take a look at our clip.

- 1 Open DaVinci Resolve 20 and, from the Project Manager, open the **DR20 Fusion VFX Lessons** project into the edit page.
- 2 In the Timelines bin, double-click the **Fusion VFX Lessons-START** timeline.


- 3 Move the playhead over the third edit and the third red marker, and press Shift-5 to switch to the Fusion page.



- 4 Press the Spacebar to view the clip.

This shot of the van will ultimately need a sign added as it drives off. However, the first part of the composite is to track the van's movement, so when you ultimately add the new logo, it will move across the shot as the van moves.


- 5 In the upper left of the user interface toolbar, click the Effects Library button to reopen the panel.
- 6 Select the Tools > Tracking category and insert the Planar Tracker tool between the MediaIn1 and the MediaOut1 nodes.



- 7 Close the Effects Library to give yourself more space.
- 8 Press 1 to see the Planar Tracker in the viewer.

It's important to start planar tracking on a frame where the area you are tracking is clear and large in the frame. In this case, frame 65 is ideal because the side of the van is large in the frame but moving slowly, effectively eliminating motion blur.

- 9 Move to frame 65 in the comp.



Unlike the tracker that you used in the previous exercise, the Planar Tracker does not use one or two tracking patterns. Instead, it tracks the motion, scaling, and perspective distortions of an entire planar surface in a background clip. So the next step is to identify the planar surface you want to track.

When the Planar Tracker is added, the polygon shape toolbar appears above the viewer. The same functionality you used previously to create polygon shapes applies here.


TIP If a clip has any significant lens distortion, it should be removed using a Lens Distort node before performing a planar track.

Selecting a Good Area for Planar Tracking

When drawing a shape around the area for planar tracking, keep the following guidelines in mind:

- Select as large an area as possible.
- Select an area that stays in frame as much as possible.
- Select an area that is clear of obstruction from moving foreground objects.
- Start your track when the area you are tracking is at its maximum size. You want as much detail in the area as possible when you begin the track.
- Make sure everything included in the selection is part of the same rigid body. That is, make sure you don't include any area with independent motion, such as, in this example, the background behind the van or even the rotating tires.
- Start your track on a frame in which the area is the least distorted.


- 10 In viewer 1, draw a very simple shape that fits around the side of the van. Do not go outside the van, and do not include the wheels.



The area inside your shape is the pattern that will be tracked over time.

TIP When defining the area to track, include only pixels inside the shape that belong to the plane being tracked (in this case, the side of the van). Do not include any of the background area.


- 11 At the top of the Inspector, click the Set button.



The current frame is set as the reference frame for the rest of the track.


TIP If you stop before the tracking is completed, you must re-click the Set button before resuming the tracking process.

- 12 At the bottom of the Inspector, click the Track to Start button.



The viewer shows the tracking as it progresses backward to the start of the shot. When it is done, a series of dots appears in the render range to indicate that the track is completed.

- 13 When the first half of the track is done, return to the Inspector and click the Go button to move the playhead back to frame 65. Then click the Track to End button.



Despite the majority of the van disappearing offscreen, the Planar Tracker continues to track right to the end of the clip.

- 14 To test the track, in the Inspector, change the Operation Mode pop-up menu to Steady and play the clip. (Make sure you have the Planar Tracker node and not the MediaIn node displayed in a viewer.)

The side of the van should stay locked in place throughout the timeline playback.


- 15 Reset the Operation Mode pop-up menu to Track.

The Steady setting is obviously not what you're trying to accomplish for the shot, but it's a good way to evaluate a track and ensure that there's no drift or bumps in the tracking data. If you do see errors, readjust your tracking shape at frame 65 and try again.

Painting with the Clone Tool

With the tracking done, we can now focus on removing the tracking markers. You will create a clean side of the van using the Paint tool to clone white areas of the van over each marker. You just need to freeze a single frame to paint over, and then cut out the clean side of the van and composite it over the live full-motion shot. Let's start by freezing the frame we want to paint over.

- 1 In the Effects Library, navigate to the Tools > Miscellaneous category, and drag the Time Speed tool into an empty part of the Node Editor.




The first part of this job is to freeze the van on a clear frame. Freeze frames from the edit page do not transfer into the Fusion page, but it is easy enough to create a freeze frame using Fusion's Time Speed node.

- 2 Drag from the MediaIn1 output to the yellow input on the TimeSpeed1 node.

Dragging a second output from the MediaIn node is similar to duplicating a clip in a timeline.

- 3 Press 1 to load the Time Speed node into the viewer.
- 4 Go to frame 65 and then in the Inspector click the Freeze Frame button.




A freeze frame is created for frame 65, which holds for the duration of the clip.

The frame number used for the freeze frame is displayed in the Delay parameter value.

TIP The Time Speed frame numbers are based on the entire clip length, not the duration of the clip in the timeline.

Now, you'll paint out the markers on this freeze frame.

- 5 In the Node Editor, select the Time Speed. In the toolbar, click the Paint tool to connect it after the Time Stretcher.




- 6 Press 1 to see the Paint tool in the viewer.

With the Paint tool selected, the Inspector changes to show various paint controls, and a viewer toolbar is displayed above the viewer with the various paint stroke types.

The Paint tool offers several stroke and paint styles suitable for motion graphics or retouching shots. In this exercise, you'll use a simple stroke brush in Clone mode to copy white areas of the van and paint over the markers.

- 7 In the viewer toolbar, click the Stroke tool.



The Stroke tool is the most versatile of paint tools and the one you will use for most paint tasks.

- 8 In the Inspector, click the Clone Apply Mode button to switch from painting with color to painting with a clone brush.



The clone brush works by selecting a source area from a frame and a destination area. The source area is the area in the frame you want to duplicate as you paint. The destination area is the area you will paint over using the content of the source area.

- 9 Option-click (macOS) or Alt-click (PC) to the left of the first black marker in the upper left of the van to select the source area offset for the clone brush.



- 10 Once you've selected the source area offset for the clone brush, paint over the first marker.

As you paint, the source area offsets by the same amount. For instance, when you paint upward, the source area selection also moves up. It is often good to keep the source selection near the area you will paint over, because doing so keeps the texture and color of the two areas as similar as possible.

TIP You can hold down the middle mouse button and drag in the viewer to pan.

- 11 If necessary, Option-click (macOS) or Alt-click (PC) a new offset for the next marker and paint over it. Command-drag (macOS) or Ctrl-drag (PC) to resize the brush. Continue choosing a new offset and painting over each marker until all the markers are removed.




You now have a clean van, perfect for compositing a new logo. In the next exercise, you'll import a logo and learn how to blend it onto the side of the van.

Using Photoshop PSD Layers

DaVinci Resolve can use various still-image formats for graphics, including TIFF, JPEG, and PNG. It can also use layered Photoshop files, allowing you some flexibility when it comes to selecting the layer you want to use from the PSD graphic.


- 1 Go to frame number 65 and ensure that nothing is selected in the Node Editor by clicking in an empty area.

- 2 From the Fusion menu, choose Import > PSD. Then, navigate to the DR20 Fusion VFX Training Media folder > Graphics, and import the **PIZZA SIGN.psd** file.



Once it's imported into the Node Editor, you will get a node representing each layer in the file and two Merge nodes, labeled Normal and Normal1, that combine the three layers together. The Merge nodes are renamed to identify the blend mode used in Photoshop.

TIP Layered Photoshop files brought into Fusion through the media pool do not display as multiple nodes. They are displayed as a multilayer MediaIn node, which provides access to the individual layers from the Inspector.



- 3 With the Normal1 node selected, press 1 to see it in the viewer.



This photoshop image is 1920 x 1080 resolution and includes three layers. One layer is the company name, another is the logo, and the third layer is the phone number. Using the output of Normal1, you can composite it over the van.

- 4 Connect the output of the Normal1 node to the output of the Paint1 node to create a Merge node.




TIP This graphic was created by exporting a reference frame (frame 65) to create the graphic with the correct perspective. If a graphic does not have the correct perspective, you can use a Corner Pin node in Fusion.

- 5 With Merge1 selected, press 2 to view it in the viewer on the right.




This looks just like what it is: a photoshop document placed on top of the van clip. However, with some blending you can make it appear much more realistic.

- 6 In the Inspector, set the Apply Mode to Soft Light.



The Soft Light apply mode is a good choice because it softly lightens the logo based on the white van color, giving the logo a nice diffused look. However, since the crease lines in the van are darker than much of the logo, the logo is darkened in those areas. The result is good but maybe a bit too light and diffused. We can improve it a bit using some simple color correction.


- 7 Select the Normal1 node and, from the toolbar, insert a Brightness/Contrast node.



- 8 Adjust the Lift down to darken the black part of the logo and increase the Contrast slider until the logo appears less diffused.




Although it's looking much better, the edges of the graphic have become a bit ragged.



This is a common problem that occurs when you perform color correction on an image with a premultiplied alpha channel. To correct this problem, you can enable the Pre-Divide/Post-Multiply checkbox in the Color Corrector.

To correct this, we must pre-divide before the color correction and post-multiply after it. We can do both with just one checkbox in the Brightness Contrast node.


- 9 With the Brightness Contrast node selected, click the Pre-Divide/Post-Multiply checkbox.



You now have a great-looking logo that just needs a bit of positioning to appear as if it is actually painted on the side of the van.

About Straight and Premultiplied Alpha Channels


To display anti-aliased edges in an alpha channel, Fusion performs a multiplication operation on the edge pixels. At that time, some of the original color values shift slightly darker to achieve the anti-aliased look. The result is what is called a premultiplied alpha channel, as opposed to the unmultiplied version, which is commonly called a straight alpha channel.



Straight alpha channel

Premultiplied alpha channel

In Fusion, this color shifting is not noticeable because the Merge tool expects to receive a premultiplied alpha channel. It becomes noticeable only when the black level of the graphic changes through some tonal value adjustment such as color correction. The result is either a brighter or darker outline around the edges of the graphic.




A lift adjustment on premultiplied alpha channel

Luckily, you have a relatively easy solution available. You perform an operation that divides the multiplied alpha channel, then make your color correction, and finally remultiply the edges again. Most of the color correction tools in Fusion include a Pre-Divide/Post-Multiply checkbox that does the work for you. All you have to do is be aware of the issue and when it might need to be corrected.

Combining Mattes and Images

So far, you have a freeze frame of the entire shot, but you need to isolate the side of the van with the logo to composite it. This is where the rotoscoping technique you learned earlier comes in handy. You'll create a matte that isolates just the side of the van.

- 1 Go to frame 65, and then, from the toolbar, drag the Polygon tool into an empty area of the Node Editor near the Merge tool.



- 2 With the Polygon tool selected, draw a shape around the side of the van using the creases by the door and roof to guide your matte. Be sure to close your matte by connecting the last and first control points or by pressing Shift-O to connect them automatically.




You now have a matte, but you have nowhere to connect it into the node tree. None of the available blue effect mask inputs are the type of mask input you need. An effect mask limits the area of an effect. What you are doing is combining an image with a matte, effectively cropping the image. This type of mask is often called a *garbage matte*. You need to add a node that can accept a garbage matte input. The most commonly used node for this purpose is called a Matte Control node.

- 3 In the Node Editor, select the Merge1 node and, from the toolbar, add a Matte Control.
- 4 Press 1 to see the Matte Control in the viewer.

The Matte Control is typically used to copy or combine mattes from a foreground to a background. In this situation, you'll use it to copy a matte to the background freeze frame. However, because the Matte Control has several possible inputs, you need a way to ensure that you select the correct one.

- 5 Option-drag (macOS) or Alt-drag (PC) from the Polygon output to the Matte Control node and release the mouse button.




When you release the mouse button, a pop-up menu appears listing all the possible inputs of the matte control. This menu makes it easier to select the correct input.

For this task, you want to use a garbage matte.

- 6 In the pop-up menu, click the Garbage Matte to connect the Polygon.

The viewer now shows a hole where the side of the van used to be. Your matte is used to cut out the side of the van rather than isolating it. You can use the Inspector to reverse this operation.

- 7 With the Polygon node selected, in the Inspector, click the Invert button.




The side of the van with the logo is the only part seen from the freeze frame. You can now composite this still image over the top of the moving image using the Planar Tracker data to move it in sync with the full-motion shot.

Match Moving with the Planar Transform


For simple corner-pinning images, you can connect directly into the Planar Tracker. However, when you're working with irregular polygon matte shapes or anything other than images of the same aspect and resolution of the composition, the more appropriate method is to use the Planar Transform.

- 8 In the Node Editor, select the Planar Tracker node.
- 9 At the bottom of the Inspector, click Create Planar Transform.



A Planar Transform node is created that contains all the transform and perspective distortion data captured by the Planar Tracker. You can apply this data to any input image or matte, thereby saving lots of time compared to rotoscoping objects.

- 10 Connect the output of the Matte Control to the yellow input of the Planar Transform.



- 11 Press 1 to view the Planar Transform in the viewer.


- 12 Drag through the render range to preview the match-moved side of the van.

The freeze frame of the van's side now follows the driving motion. The next step is a simple merge to composite the van side over the moving van shot.


- 13 Select the Planar Tracker and press Delete.

Once you have the Planar Transform, there is no need to keep the Planar Tracker. All the data captured from the tracking is now stored in the Planar Transform.

- 14 From the toolbar, drag a Merge node over the connection line between the MediaIn1 and the MediaOut1 nodes to insert it.



- 15 Drag the output from the Planar Transform node to the green foreground input of the Merge2 node.



- 16 Select the MediaOut node and press 2 to see it in the viewer.

- 17 Press the Spacebar to play the entire shot.

You now have fairly convincing results. In the next exercise, you'll address a few little cleanup areas to finish this shot.

Finalizing the Composite

If you look carefully at later frames (such as frame 90), you'll see a clear shift in the shadows between the masked region and the moving van.

18 Move the playhead to frame 90.



Looking at the back end of the van, you'll notice a common problem resulting from the shadows changing in the live shot. Your freeze-frame lighting is baked in and doesn't update with the moving shot. A simple blur could disguise the seam. However, because the clean van goes right to the top of the roof, you'll use the variable soft-edge on the Polygon tool only where needed, toward the base and back of the van.

19 Move to frame 65.

TIP It's important to always perform changes to a matte on the original frame where the adjustments were made. Doing so will avoid accidentally adding keyframes and interpolating between adjustments.

- 20** Select the Polygon node and, at the top of the viewer, click the Make Double Poly button.



- 21** Right-click over one of the control points on the back end of the van and choose Controls > Select > Polygon 1: Outer Polygon.
- 22** Drag the middle control point along the right edge of the shape to create a soft transition edge.

TIP If you need to move a second control point, first click off into the gray area of the viewer to deselect the initial control point. Then hold Command (macOS) or Ctrl (PC) as you drag the second control point.



- 23** Select the MediaOut1 node to hide the onscreen controls for the Polygon node, and play the clip to preview the results.

The matte now looks clean. The final touch to make our logo appear more natural is to fix the “strobed” motion that the logo appears to have. This is due to the original camera footage having motion blur as the van gathers speed and our graphic having no motion blur.

24 With the Planar Transform node selected, in the Inspector, click the Settings tab.

25 Click the checkbox for Motion blur.

The default blur seems a little strong for the shot, so you'll dial back the shutter angle. You'll also increase the quality of the blur to remove any visible stepping.

26 Adjust the Shutter Angle down to 130.0 and the Quality up to 5.



With that, the shot is complete. The technique you learned here can be used to replace many different objects in a shot, from simple street signs to touchscreens and even tattoos. Creating the clean surface with the Time Stretcher, Paint tool, and Polygon Spline gives you a very simple but powerful recipe for common problems that may arise in a shot.



Completed node tree for Lesson 4.

Lesson Review

- 1 True or False? You must click the Set button before you begin planar tracking.
- 2 True or False? When drawing a shape around a surface for planar tracking, you should include as much of the background as possible.
- 3 Which of the following make for good planar tracking surfaces:
 - a) Side of a building
 - b) Billboard
 - c) A bouncing ball
 - d) All of the above
 - e) None of the above
- 4 True or False? The Planar Transform can be used to track planar surfaces and composite the results.
- 5 True or False? When cloning with the Paint tool, you hold the Option (macOS) or Alt (PC) key and click to select the clone offset source, and then keep the Option or Alt key pressed while you paint over the destination.

Answers

- 1 True. Clicking Set identifies the reference frame for the planar tracker.
- 2 False. When drawing a shape around a surface for planar tracking, you should not include any of the background.
- 3 a) and b) are ideal for planar tracking. c), the bouncing ball, is not a planar surface and therefore not a good option.
- 4 False. The Planar Transform uses the tracking data from a Planar Tracker and applies its input image to it. The Planar Transform has no compositing capabilities.
- 5 False. When cloning with the Paint tool, you hold the Option (macOS) or Alt (PC) key and click to select the clone offset source, and then release the Option or Alt key when you begin painting over the destination.

Lesson 5

Compositing Green-Screen Content

Green- or blue-screen keying is the classic visual effects work that comes to mind for most people. A foreground subject is shot against a bright blue or green screen, which is then keyed to make it transparent, thereby allowing the subject to be placed on a new background.

Time

This lesson takes approximately 90 minutes to complete.

Goals

Creating a Clean Plate	112
Fine-Tuning with the Delta Keyer	115
Rotoscoping Auxiliary Mattes	120
Lining Up the Background	129
Color Correcting Elements	131
Sending a Matte to the Color Page	134
Lesson Review	137

The keying process is a procedural method of generating a matte, rather than the manually drawn mattes you used in previous lessons. The process of compositing with green screen is really an art in itself, but a simple workflow can be followed for most keys. The trick is not to try to do everything with a single keying node. Focus the keyer on the fine detailed edges of your foreground subject, and then you can manage other areas with other tools. In the end, combining multiple mattes together will always get you better results quicker.



Completed composite for Lesson 5.

Creating a Clean Plate

We'll start this lesson by opening the same project we've been using throughout the last three lessons.

NOTE The Timelines bin includes a Backups bin with timelines saved at various stages of the lesson and a Completed Projects bin with finished compositions. These bins are both available for reference and reverse-engineering the node trees.

- 1 Open DaVinci Resolve and, in the Project Manager, open the **DR20 Fusion VFX Lessons** project that you have been using for the previous three lessons.
- 2 From the Timelines bin, double-click the **Fusion VFX Lessons-START** timeline. Then go to the last red marker, which is over the green screen of our musician.
- 3 Click the Fusion page button.



This shot from a Steve Vai music video is typical of a professional green-screen shoot.

Unlike computer-generated images, this live-action green-screen shot does not include an alpha channel. So it is up to you to create the matte through keying similar to how you used the Luma Keyer in Lesson 3. However, unlike the Luma Keyer, Fusion provides a handy tool called a *clean plate* that makes extracting a subject from a blue or green screen so much easier.

NOTE In this lesson, the shot you will work on uses a green screen, but the keying process works the same for blue-screen content.

- 4 In the Node Editor, select the MediaIn1 node, and rename it **GreenScreen**.
- 5 In the upper left corner of the interface, click the Effects Library button. All the tools for keying are located in the Tools > Matte category.

- 6 Click the tools disclosure arrow and select the Matte category. Click the Clean Plate and then press 1 to see it in the viewer on the left.




Because the Green Screen node was selected in the Node Editor, the Clean Plate is connected to the Green Screen output.

The Clean Plate tool is a node used before you do anything else with the green screen. It is used to generate an image of pure green or blue color as if the subject (in this case our musician) was never there. The output of the Clean Plate is later connected to the Clean Plate input on the Delta Keyer so it can refine the matte with less effort.

You begin similarly to using a keyer, by selecting the screen color in the viewer.

- 7 From the Inspector, drag the background color Eyedropper and move it over the green screen in viewer 2.



You end up with a transparent cutout that represents everything that is not part of the green screen.

NOTE In this exercise, we won't provide exact values for every parameter. Keying is an *iterative* process—adjustments made in one area often require you to revisit and refine earlier settings. As you progress, don't hesitate to return to any parameter and tweak it based on how later steps affect the overall result. Effective compositing is rarely linear—*refinement is part of the workflow*.

The next step is to remove any errant non-green edge pixels from the cutout with the green screen. To do this, you'll use the Erode control to expand the pre-matte, and then use the Grow Edges control to fill in the cutout.

- 8 In the Inspector, increase the Erode slider by a small amount, just enough to expand the edges of the guitarist silhouette, and then increase the Grow edges by a similar amount.
- 9 Click the Fill checkbox to fill in the remaining cutout with green. Feel free to refine either the Erode or Grow edges value to achieve a cleaner green screen.



You will still see some varying shades of green where you filled in the cutout, but all of that gets covered up by our musician. We are only interested in filling in the cutout with shades of green. Now you can use the results to feed the Delta Keyer to get a clean key.

Fine-Tuning with the Delta Keyer

Whenever you are keying, it is helpful to use two viewers: one where you can see the final output, and the other where you can view the quality of your matte.

- 1 Click in an empty area of the Node Editor, just below the Clean Plate node.
- 2 From the Matte category in the Effects Library, click the Delta Keyer to add it to the Node Editor, and then close the Effects Library.

The Delta Keyer is the primary tool used for green-screen and blue-screen keying in the Fusion page. As powerful as it is, it is also very simple to use now that we've done most of the heavy work with the Clean Plate.

TIP The term **chroma key** represents a specific, simplified process of extracting a matte based on a range of hue and saturation in an image. Modern keyers like the Delta Keyer use a more sophisticated color difference method to extract the matte.


- 3 Select the Delta Keyer node and press 1 to display its output in viewer 1.

Your first step will be to connect the Green Screen node and the Clean Plate to the Delta Keyer.

- 4 Drag a second output from the Green Screen node into the yellow background input of the Delta Keyer.



- 5 Drag the output of the Delta Keyer to the input of the MediaOut node to replace the existing connection.
- 6 Hold the Option key (macOS) or Alt key (PC) and drag the output of the Clean Plate node over the Delta Keyer node and then release the mouse button.



The pop-up menu that appears shows you all the inputs to the Delta Keyer so you don't have to remember which colored inputs are for which tools.

- 7 Select Clean Plate from the list.

For convenience, Fusion draws an underlay pattern to indicate transparency. When keying, however, it's best to use one of the viewers to view your matte.

- 8 Above viewer 1, click the Color Controls button, or click the mouse button in viewer 1 to make it the active window and press the A key.



The matte for your live-action shot is displayed in viewer 1. A single click of the Eyedropper typically produces a matte with lots of gray (semitransparency).

- 9 With the Delta Keyer selected, drag the Balance slider to the left until it is around 0.3. The Balance slider takes more or less information from the colors other than the screen color—in this case, red or blue.

Dragging it to the left causes blue to be more transparent, while dragging it to the right causes red to be more transparent. Since there is a lot of red in this foreground subject, dragging it to the left removes some of the transparency from the foreground.

Even with the cleanest green-screen keys, such as you have here, you must refine the matte a bit to ensure that areas intended to be opaque appear as solid white, and the areas intended to be transparent appear as solid black.

- 10 Select the Matte tab at the top of the Inspector.



The Matte tab in the Delta Keyer contains parameters for modifying the density and edges of the matte. It is arguably the most important tab in the Delta Keyer because the quality of your matte determines the quality of your key. By adjusting the Threshold sliders at the top of the Matte tab, you clamp the black and white cutoff points. Values that fall below the Low Threshold setting are considered pure black (transparent), and values that fall above the High Threshold setting are considered pure white (opaque).

TIP As you make adjustments to the matte, zoom in to and/or expand the viewer size to get a clearer look at the matte, especially around the fine hair details.

- 11** To clamp the darker gray areas, increase the Low Threshold slider by a very small amount, and then clamp the brighter gray areas by decreasing the High Threshold by roughly 25%.




Adjusting these sliders too high or too low can cause the fine details to merge together. Don't try for perfection at this point. Just get a solid black-and-white matte without losing hair detail.

TIP When refining the key, you are primarily concerned with getting good quality edges for your subject. The black transparent areas and the core of your foreground subject can be handled using various types of mattes.

The next steps are very subtle adjustments using the Clean Foreground and Clean Background controls. You generally apply these with an extremely light touch because they tend to cause harsh matte edges, but they can also “fill in” the small holes that appear in the black and white parts of the matte. As you adjust them, you’ll use a combination of the keyboard and the slider to make very small-scale adjustments.

- 12 To fill in any black holes in the white areas of the matte, hold the Command key (macOS) or the Ctrl key (PC) and drag the Clean Foreground slider to around 0.00075.
- 13 Drag the Clean Background slider to around 0.0004.



- 14 Lastly, drag the Erode/Dilate down a tiny bit.

The Erode value is a perfect example of a parameter that you will want to return to and refine after compositing in the background.

NOTE This content is compressed with a 4:2:2 chroma subsampling. As a training exercise it works well, but the chroma subsampling will impact how clean your results can be. Focus on the process and less on the actual outcome.

It will be impossible to refine the matte to the point where it fixes every pixel of the frame without also sacrificing some of the hair detail. You’ll find that for every shot, compositing with green screen requires multiple tools that work together. However, the basic Clean Plate and Delta Keyer combination is always a useful starting point for any key.

Rotoscoping Auxiliary Mattes

Your matte still has unwanted areas such as the gray or semitransparent areas around the lower legs. Sometimes, you won't be able to key out everything, so you will need to pull out the digital duct tape, more formally known as *auxiliary mattes*.

Auxiliary mattes are mattes other than the main core matte created by the key. These auxiliary mattes help to patch matte holes that are impossible to patch otherwise. Two auxiliary mattes are used regularly on every keying job. One is the garbage matte that removes areas of the set not covered by the green screen. The second is a holdout matte. The holdout matte covers up unwanted semitransparent areas in the foreground that the keyer didn't catch. Let's start with creating a garbage matte.

- 1 Drag the playhead to the start of the render range.
- 2 From the toolbar, drag a B-Spline tool into the Node Editor under the Delta Keyer.




- 3 Select the B-Spline node and rename it **gMatte**.

When drawing a matte, it is sometimes easier to use a B-Spline tool rather than Bézier splines as you have been doing. B-Splines produce smooth, curved edges without the need to manage handles. For consistently smooth curved shapes (when you're not concerned with making extremely detailed shapes with lots of corners), B-Splines can be easier to work with.

Let's use the B-Spline tool to draw around the area you want to keep. We'll first give ourselves more drawing room by using only one viewer.

TIP When you draw a shape with a B-Spline curve tool, the control points you set influence only the shape of the curve. The control points do not define the location of the actual spline curve. That being the case, it is best to start by drawing a very loose shape, and then adjust the control points to create the curve you need.

- 4 In the upper right corner of viewer 1, click the Single Viewer button and drag down on the divider line between the transport controls and the toolbar to expand the viewer.



TIP To increase the viewer and give yourself additional drawing space, you can drag down on the divider line between the transport controls and the toolbar or click the Nodes button at the top of the screen to hide the Node Editor completely.


- 5 In viewer 1, draw a wide, rough shape around the guitarist.



TIP Similar to drawing a polygon spline, remember to close the matte by clicking the first control point you added or by pressing Shift-O.

- 6 Once you finish drawing the matte, Option-drag (macOS) or Alt-drag (PC) from the gMatte output to the Delta Keyer node.

- 7 Release the mouse button and, in the Input pop-up list, choose Garbage Matte.



TIP You can adjust the smoothness of a B-Spline's curve by holding down the W key, selecting the control point for the curve, and dragging left or right to increase or decrease the smoothness.

Because you drew this garbage matte around the subject, the guitarist's silhouette is removed from the shot. You need to invert it.

- 8 Select the gMatte node and, in the Inspector, click the Invert checkbox.

This matte is done only for a single frame, and this guitarist likes to move as he plays. The drawing of polygon or B-Spline mattes and animating them over a series of frames is called *rotoscoping*. A basic rotoscoping technique is called *divide and conquer*. The divide and conquer technique bifurcates the clip with keyframes and continually divides each section with keyframes until the motion of the object is covered. This ensures that you only add keyframes when absolutely necessary.

- 9 Move to the end of the render range.

By default, after you close a polygon shape, any change you make to a control point adds a keyframe. Changes to the shape on different frames are interpolated. This behavior makes it incredibly efficient to animate small changes to your matte as the subject in your clip moves.

- 10 Refine the shape to better fit around the guitarist by adjusting any of the control points along the B-Spline.

TIP When animating a spline, you can move the entire shape by clicking the Select All Points button in the viewer toolbar and then dragging the points to a new area in the viewer. Moving the Center X and Y parameters or the onscreen Center control will not add a keyframe.

When using the divide and conquer technique, the idea is to set keyframes at the start, end, and middle of your animation. You then continue to divide those segments by adjusting the shape to fit at halfway points between keyframes until the shape's movement in each segment accurately matches the object that you're trying to rotoscope.

- 11** Move to the middle of the render range, around frame 255.
- 12** Adjust the control points to fit around the guitarist.
- 13** Repeat the process by dividing the keyframed sections from frame 231 through frame 255 so that the animated shape fits the guitarist throughout the moving shot.

TIP Pressing Option -] and Option-[(macOS) or Alt-] and Alt-[(PC) will move the playhead to the next and previous keyframe, respectively, to help you more quickly refine the polygon matte.


- 14** Once you finish with the first half of the shot, divide the second half starting at frame 255 through frame 279. Adjust the shape wherever you feel a keyframe is needed, continually dividing sections as you go.

Rotoscoping is a balancing act. The tighter your garbage matte fits around the subject, the less you'll need to push the Delta Keyer's matte controls, which helps preserve fine details like hair. But tighter mattes come at a cost—they require more keyframes and control points, making them slower and more complex to animate. The key is to strike the right balance between precision and efficiency.


Rotoscoping a Holdout Matte

Another auxiliary matte you will typically create does the opposite of the garbage matte. A holdout matte fills in any holes that appear in the white matte of the foreground subject. Some bright parts of the guitarist's leather pants have caught green bounce light from the screen, thereby creating holes in our matte. To correct this area, you'll draw two polygon shapes, one for each leg, that will cover up the dark gray holes in your matte.

- 1 Move to the end of the render range, where you can clearly see the leg on the left completely in the frame.




- 2 From the toolbar, add a MultiPoly node into the Node Editor, next to the gMatte node, and rename it **HoldOut**.




The MultiPoly node is a tool that allows you to draw multiple independent mask shapes within a single node. This makes it much easier when rotoscoping body parts or any complex mask that requires individual shapes to be created for a single object. We'll use this node to draw two different polygon shapes, one for each of his legs.

- 3 In the Inspector, double-click the Polygon1 label in the Polygon list and rename it **LegLeft**.



The MultiPoly node doesn't auto-animate like the B-Spline node you used earlier unless you enable animation.

- 4 At the bottom of the Inspector, click the gray diamond to the right of the label "Right-click here for shape animation."



NOTE Although we highly encourage you to attempt rotoscoping both legs, if you are adamant about not doing any rotoscoping, you can load the Backup 3 timeline from the Backups > Green Screen bin, which has the rotoscoping completed.

- 5 In viewer 1, zoom in to the lower half of the musician's body and draw a rough boot-like shape for the leg on the left.



Starting with a rough shape and refining as you go is a good way to approach rotoscoping. It can help you support a balance between shape precision, animation, and speed.

- 6 Move to the center of the render range around frame 255.

- 7 Move the points of the shape to match the leg position, and then move to the start of the render range and reposition the points again.




- 8 Use the divide and conquer technique you learned earlier with the gMatte to adjust the shape to fit the leg at halfway points between keyframes until the shape's movement in each segment accurately matches the leg on the left.

TIP You can click the Modify Only button in the toolbar above the viewer or press Shift-M to move only the points that exist and not accidentally create new points.


Once you are satisfied with the rough shape and motion on the LegLeft, you can begin roughly outlining the leg on the right.

- 9 In the Inspector, click the Polygon button to add a new polygon shape to the list.




- 10 Double-click the Polygon name in the list and rename it **LegRight**.

- 11 Once again, draw a very rough shape and then use the divide and conquer technique to adjust the rough shape to fit the leg on the right.




With both legs roughed out, you can now go back and start refining the shapes. This involves adjusting the edges, adding new points where needed, and correcting any inaccuracies in your original rough pass.

- 12 Press Shift-I or click the Insert and Modify button from the toolbar above the viewer.



- 13 Go through each keyframe you have added and add new points to your shapes where they are needed to better fit the rough shapes to the legs.




TIP Pressing Shift-S will smooth corners of the selected point, while pressing Shift-L will create hard corners.

The hard edge of the mattes should be softened just a tiny bit. Each matte you create has its own set of controls. You can access each one by selecting the matte in the Polygon list.

- 14 In the Inspector, select the LegLeft polygon from the Polygon list and then set the LegLeft Soft Edge slider to 0.001. Then select the LegRight from the list and set its Soft Edge with the same value.

When you have completed both legs, the holdout matte must be connected to a different input of the Delta Keyer than your garbage matte. A holdout matte is connected to the Solid input on the Delta Keyer.

- 15 Option-drag (macOS) or Alt-drag (PC) from the HoldOut output to the Delta Keyer node and, in the Input pop-up menu, choose Solid.
- 16 Above viewer 1, click the Color Controls button, or click the mouse button in viewer 1 to make it the active window, and press the A key to return to viewing the full-color image.
- 17 Click the Single Viewer button in the upper right corner of the viewer to return to seeing two viewers.



TIP You can reset the zoom status of the viewers to show the full image by clicking in the viewer and then pressing Command-F (macOS) or Ctrl-F (PC).


A note about garbage mattes and holdout mattes: Often people unaccustomed to creating green-screen composites attempt to do everything in the keyer. Let me dispel that myth right now. Using auxiliary mattes is not an admission of a failed key. The use of auxiliary

mattes means that you are being smart about your time and are aware of the entire process. Use a keyer for what it's good at: creating soft edges and extracting fine hair detail. Use the auxiliary mattes to avoid wasting time fiddling with keyer controls for items easily done with a spline shape.

Lining Up the Background

You can only go so far adjusting the matte against a black background. Eventually, you must view the foreground over the actual background clip to get a complete picture of the matte quality.


- 1 In the upper left corner of the interface, click the Media Pool button, and from the Clips bin, drag the BKGD HD clip into an empty area of the Node Editor.



- 2 Close the media pool to make more room for your viewers.
- 3 Press 1 to see the clip in the viewer.

The viewer shows the background clip. By default, when adding a clip from the media pool into the Fusion Node Editor, it brings the clip in at the start of the composition. If you want to slide the clip to begin earlier or later, you can use the Keyframes Editor.

- 4 In the upper right corner of the window above the Inspector, click the Keyframes button to open the Keyframe panel.
- 5 Click the Zoom To Fit button to center all the timeline tracks.




The Keyframes Editor shows all the tracks, including the Background node, which is currently labeled MediaIn1. The Background node clip begins at frame 231 which is the starting frame of the comp, and ends at frame 304. This is a full 25 frames after the comp ends. You can use the Global In/Out controls in the Inspector to slide the background clip so that the end of the clip aligns with the end of the comp.

- 6 Select the MediaIn1 node in the Node Editor.
- 7 At the top of the Inspector, position the mouse pointer between the two Global In/Out handles.



- 8 Drag the Global In/Out bar to the right until you get 280 on the Global Out. Now you are using a later section of the Background clip in the comp.
- 9 With the MediaIn1 node selected, press F2 and rename the clip **BackGround**. To view the key over the background, you'll use a Merge node.
- 10 In the upper right corner of the window, click the Keyframes button to close the panel.
- 11 Drag the output of the Delta Keyer to the output of the BackGround node to create a Merge node.



- 12 Drag the output of the Merge node to the MediaOut node to replace the existing connection.

- 13 Select the MediaOut node and press 2 to display it in viewer 2 to see the initial composite.



Although this looks good for the amount of work we've done so far, the foreground and background still look like very different images. The next step is to color correct both elements so they appear as if they are in the same location.


Color Correcting Elements

Color correcting the background and foreground is done for two reasons. The first is to remove any green color that remains on the foreground subject, and the second is to match the foreground and background so they realistically appear to exist in the same setting. Let's tackle the green tint issue first. The Replace Color at the bottom of the Matte tab in the Inspector already includes a fair amount of spill suppression.

- 1 Select the Delta Keyer and, in the Inspector, select the Matte tab.

Spill is created from bounced light reflecting off the green screen that spills onto the foreground subject. Since removing that green spill is inextricably linked to the process of extracting a matte, you will sometimes create holes in your foreground matte. This is due to the Replace Color attempting to remove the green-screen color that has spilled onto your foreground. You inevitably must balance the quality of the spill suppression with the generation of the matte. A way around this dilemma is to set the Replace Mode to Source.


- 2 At the bottom of the Inspector, set the Replace Mode dropdown menu to Source.



Setting the Replace Color to Source reintroduces an amount of the original green-screen pixels instead of trying to remove them. However, you are now left with green spill on the musician.


You can remove spill fairly easily using a Color Corrector node directly after the Delta Keyer.

- 3 From the toolbar, insert a Color Corrector node between the Delta Keyer and the Merge1 node.



The Color Corrector node includes several modes for correcting highlights, midtones, and shadows, as well as spill suppression.


- 4 At the top of the Color Corrector Inspector, choose Suppress from the menu.



TIP Zoom in to the viewer as far as needed to view the changes as you reduce the spill colors.

The Suppress wheel allows you to drag the control point for the desired spill color toward the center, thereby reducing its saturation.

- 5 To reduce the green and some of the bright yellow tint around the edges of the foreground, drag the green and yellow control points toward the center of the color wheel.



TIP In many cases, spill suppression can produce a noticeable reduction in image brightness. You can counteract this effect by slightly raising luminance.

- 6 With the Color Corrector node selected in the Node Editor, press Command-P (macOS) or Ctrl-P (PC) to disable the spill correction. Then, press that keyboard shortcut again to re-enable the spill suppression.

Now you can focus on matching the foreground and background. You can choose to perform the foreground color correction in the Fusion page by adding additional Color Corrector nodes, or, since you have the world's best color grading tools on the color page, you can perform the color correction there.


Sending a Matte to the Color Page

As you have experienced, the Delta Keyer is an amazing tool for green-screen shots. And although the Fusion page also includes extremely adept Color Correction nodes, DaVinci Resolve offers world-renowned color grading tools on the color page. So in some cases you may want to use the two pages together for compositing a shot. In this exercise, you'll use the matte from the Delta Keyer to color match the foreground and background in the color page. It's a simple process to show you how easy it is to bring mattes from Fusion into the color page.

Adding a Second MediaOut Node

The main requirement in sending the matte from the Fusion page to the color page is adding a MediaOut node.

- 1 Click in an empty area in the Node Editor above the Delta Keyer node.
Clicking in an area of the Node Editor is a way of pinpointing where a node should be placed when you add the next node.
- 2 Press Shift-Spacebar, type **MediaOut**, and then press Return/Enter to add the node to the Node Editor.
- 3 Drag the output of the Delta Keyer to the input of the MediaOut2 node.



The first MediaOut node in the Node Editor always goes to the edit page. Additional MediaOut nodes go to the color page. You can add as many MediaOuts as needed for sending multiple mattes.


Setting Up the Color Page

Most of the time that you use nodes in the color page, you are processing color data. Occasionally, you may add an external matte from the media pool. In our case, we need to add a source from the Fusion page.

- 1 Click the color page.

The green-screen clip you were working on in Fusion is now the currently selected clip in the color page. You need to add a source that represents the MediaOut2 node (the matte) from the Fusion page.

- 2 In the Node Editor, right-click in an empty gray area and choose Add Source.



The source is added as a green icon on the left side of the Node Editor, directly under the RGB source from the edit page. This second source is from the MediaOut2 in the Fusion page. You can use it as either RGB data or an alpha channel since it includes both. For this exercise, we'll use the second source as an alpha matte source.

- 3 Drag the output of the second source to the key input of node 1.




You now have a mask connected to node 1 so that any color correction you do will be limited by the mask from the Fusion page.

- 4 Using the color page Gamma color wheel, lower the master wheel, push the color toward yellow/green, and lower the overall saturation to better match the guitarist with his background.



TIP You can view the results of the color page corrections in the Fusion page by selecting the MediaOut1 and clicking Color in the Inspector.

The main point of this green-screen lesson is not only to teach you the steps in setting up a green-screen key, but perhaps more importantly to show you that keying a foreground subject is almost never completed using only one tool. It's far more common to employ multiple techniques to address separate areas. In the end, if you learn to break down the foreground into its own small problematic areas, you can address each area with different tools to get the best possible results.



Completed node tree for Lesson 5.

Lesson Review

- 1 In the Fusion page, what is the primary tool for pulling a green-screen key?
- 2 True or False? A solid matte connects to the Delta Keyer in order to fill any holes that appear in the white matte of the foreground subject.
- 3 True or False? Removing spill or bounce light coming from the screen onto the foreground subject requires that you add a Color Corrector node.
- 4 True or False? Adjusting Threshold in the Delta Keyer suppresses spill on the foreground.
- 5 True or False? A second MediaOut node is used to send a matte from the Fusion page to the color page.

Answers

- 1 The Delta Keyer is the primary tool for green-screen keying.
- 2 True. A solid matte connects to the Delta Keyer to fill holes in the foreground subject.
- 3 False. Removing spill or bounce light coming from the screen onto the foreground subject can be done in the Delta Keyer or additionally in a Color Corrector node.
- 4 False. Adjusting Threshold can clip only the black or white levels in a matte. It cannot modify the RGB levels for spill suppression.
- 5 True. Adding a second MediaOut node will send a matte and RGB image to the color page. A second Source node must then be added on the color page to access the matte.

Lesson 6

Addendum: Creating Title Animations

The next two lessons are not part of the End User certification exam. However, they do provide valuable insight into the motion graphics capabilities of Fusion.

DaVinci Resolve includes dozens of useful title templates, both static and animated, that you can customize to fit your projects. Many of those templates are created in Fusion using advanced text and shape tools but are accessible from the edit page’s Effects Library or the cut page’s Title Library.

Although Fusion is primarily a visual effects compositing tool, it includes some very powerful and unique 2D and 3D motion graphics tools as well. Fusion’s Text+ tool provides a fantastic amount of control over the look, layout, and animation of your title designs.

Time

This lesson takes approximately 60 minutes to complete.

Goals

Styling Text in the Edit Page	140
Moving Text to the Fusion Page	145
Creating a Background Banner	147
Revealing Text with Mattes	151
Animating with the Follower	153
Adjusting Keyframe Timing	157
Trying Out Versions	161
Saving a Template	163
Lesson Review	167

In this lesson, you'll create different versions of an animated lower third and then save it as a template that you can reuse directly in the edit page or cut page.



Completed title for lesson 6.


Styling Text in the Edit Page

To start, you'll restore a new archive that will be used for the two lessons that make up the addendum of this book.


NOTE The Timelines bin includes a Backups bin with timelines saved at various stages of the lesson and a Completed bin with finished compositions. Both bins are available for reference and for reverse engineering the node trees.

- 1 Open DaVinci Resolve. In the Project Manager, right-click and choose Restore Project Archive.

- 2 Navigate to the R20 Fusion Training Media folder you downloaded at the start of this book and restore the **DR20 Fusion Animation.dra** project. Open the project and, from the Timelines bin, load the **Motion Graphics-START** timeline into the edit page.



- 3 Open the Effects Library and, from the Titles category, drag the Text+ template into the timeline directly above the first clip, which contains our interview.




- 4 Select the Text+ clip and open the Inspector.


The Text+ template in the edit page is the same Text+ tool located in the Fusion page. You can begin creating titles in the edit page and then move to the Fusion page when you want to expand on the title animation.

- 5 In the Inspector's Styled Text field, replace Custom Title with **FULL NAME** as the text we'll use in our template.


- 6 Set the font to Open Sans and set the font typeface to Extrabold.



- 7 Change the text Size slightly larger to around 0.1.
- 8 To make the text left justified instead of the default center justified, scroll down the Inspector and click the H Anchor Left button.



- 9 At the top of the Inspector, click the Layout tab.



TIP Similar controls (such as rotation) appear multiple times in the various tabs of the Text+ tool. As you're learning, pay careful attention to which tab section the steps are being performed in.

Beyond the familiar text formatting options on the Text tab, the Layout tab is used to position the person's name as a lower third title.

- 10 In the Inspector, drag over the Center X and Y fields to move the text to the left lower third of the frame.




TIP From the overlay menu in the lower left corner of the viewer, you can select Fusion Overlay to display Fusion's onscreen controls instead of positioning the text in the Inspector.

- 11 Click the Shading tab.


The Shading tab is for styling the appearance of the text. Instead of using a single solid color, you can convert the fill type to a gradient.

- 12 In the Type options, choose Gradient.



In the gradient bar, you can assign the various colors that fill the text. The first white color stop sets the lower color of the gradient, the white color stop on the right sets the upper color, and you can add color stops along the bar to create multi-point gradients. The first color stop is selected by default, so you can set its color just by selecting it in the color swatch.

- 13 Open the color swatch and select a light teal color to set the lower gradient color.



- 14 To set the upper gradient color, click the white color stop on the right end of the gradient bar and, in the color swatch, choose a pale yellow.

TIP You can drag any color stop to reposition the spread of the gradient colors.

To rotate the gradient angle so it spreads from left to right instead of top to bottom, you can use the Mapping controls under the color swatch.

- 15 Scroll down the Inspector and drag the Mapping Angle to the left until it reaches -90 so the gradient travels horizontally across each letter.



- 16 From the Mapping Level menu, choose Line so the gradient is spread across the entire line of text, rather than each letter.



You can add the Text+ title in both the edit and cut pages. Consider it the go-to title for designing lower thirds and main titles because it has so many options. Here, it allowed you to correctly size and roughly position the text against a background video track. The other benefit of the Text+ title is that you can move it into Fusion and add some other elements along with some animation.

Moving Text to the Fusion Page

Moving text from the edit page into Fusion is the same as moving a video clip or the Fusion Composition effect: just position the playhead and click the Fusion button.

- 1 Position the playhead over the Text+ title clip and click the Fusion button to go to the Fusion page.

As in Lesson 2, you'll use a single-viewer layout.


- 2 Click the Single Viewer button located in the upper right corner of viewer 2.

The title appears in the Fusion viewer precisely as you had it designed in the edit page. The node is labeled Template so you know it is a title template from the edit page. Let's add a second line of text with the same attributes as our existing text.

- 3 Select the Template node and choose Edit > Copy or press Command-C (macOS) or Ctrl-C (PC).
- 4 With the Template node still selected, choose Edit > Paste or press Command-V (macOS) or Ctrl-V (PC).

A second Template node (Template_1) is created, and the two nodes are automatically merged. The original Template is connected to the background input on the Merge,

and the new Template node is connected to the foreground input. Rearrange the nodes so that Template_1 appears above Merge1.



We'll use a second Text node as a placeholder for the job title text in our lower-third template. This will also allow us to animate the person's name and their job title independently.

TIP The Multitext tool in the Effects Library can be used to create multiple lines of text in the edit and cut pages and then can be brought into Fusion as a single multitext node for additional effects.

- 5 Select the new Template 1 node and, in the Inspector's Styled Text field, enter **TITLE**.

TIP As a general rule, a change in font usually implies a change in meaning. However, too many typefaces are distracting and can confuse your audience. Restrain yourself to using only one or two fonts in a single project. Use typefaces such as bold, light, or italics (as we have done here) to inject variety.


- 6 Change the Font to Open Sans Regular.

The two text elements are seen in the viewer, but you still need to position the TITLE text under the FULL NAME text.

- 7 At the top of the Inspector, click the Layout tab and drag the Center Y field to lower the text below the FULL NAME text.



- At the top of the Inspector, click the Shading tab and click Solid for the fill type. Then select a dark gray color.




- To make sure you stay organized, rename each node based on the text you've entered: Template becomes **NAME**, and the new copied Template_1 becomes **TITLE**.

This is the general layout of the lower-third title. The next steps will be to create some visual interest by animating the text.

Creating a Background Banner

The creation of graphical elements like background banners uses a slightly different approach than most motion graphics applications. You use a color generator as fill and a matte to cut the shape you want. We'll create a pill shaped background banner for our text. This makes the title stand out more when placed over video.

- From the toolbar, drag a Background node into an empty area of the Node Editor.




The Background node is a color generator. It will create the background color of the banner background.

- 2 Press 2 to see the default black color in the viewer.


The Background node allows for both solid color and gradient backgrounds. For this banner, you will create a radial gradient.

- 3 In the Inspector, select Gradient from the Type menu, and then choose Radial from the Gradient Type menu.




The radial gradient has center color and an outer color represented on the gradient bar. It also has a thin green line in the viewer.

- 4 Open the color swatch and select a vibrant fuchsia color located in the center of the color swatch.




- 5 Select the far-right color stop on the gradient bar and assign a creamy yellow color from the color swatch.




Next, you can add a mask to form the shape of the banner.

- 6 With the Background node selected, click the Rectangle mask tool in the toolbar.



Clicking any matte tool connects the matte into the blue effect mask input of the selected node. The Rectangle mask trims the background into a smaller rectangle centered in the frame.

- 7 In the Inspector, set the width to **0.9** and the height to **0.3**.




8 Drag the corner radius slider to 1.0 to create a rounded pill shape.

9 Rename the background node **BANNER**.

To position this correctly behind our text, you need to merge the banner using the text as the foreground.

10 Drag the output of Merge1 to the output of the BANNER node.



11 Select the newly created Merge2 and press 2 to see it in the viewer.

Now that you can finally see all the elements in the viewer, you'll need to position the banner under the text. You can do this by positioning the Rectangle mask.

12 Select the Rectangle1 node and use the onscreen controls in the viewer to position it directly behind the text.




13 To make sure the new Merge2 is connected to the MediaOut, drag the output of Merge2 to the input on the MediaOut and replace the existing connection.

With the banner in place, we can now start our animation.

Revealing Text with Mattes

Static text implies “move along, nothing to see here,” and the audience tunes out. Even minimal text motion adds interest to flat type to help keep an audience focused long enough to read the message. You can animate text in many different ways in Fusion, but you’ll explore two of the most popular methods in this lesson. The first technique you will use is revealing the text with the use of a matte.

- 1 In the Node Editor, select the TITLE node and, from the toolbar, click the Rectangle tool.



The rectangle is added to the center of the frame, acting as a window of sorts. Since the text is positioned outside the rectangle, it is hidden from our view. We’ll use this rectangular window as a way to reveal our text through keyframing.


To start, the rectangle should be positioned lower to reveal the TITLE text, and it needs to be large enough to cover any potential title someone may enter into the template.

- 2 In the Node Editor, select the Rectangle2 node and drag its red transform controls in the viewer until the top line of the rectangle is aligned with the bottom of the FULL NAME text.




You can now animate the Title text so that it begins outside the rectangle and then slides into place.

- 3 Move to the start of the render range in the timeline.
- 4 Select the TITLE node and, in the Inspector, click the Layout tab.
- 5 To the right of the Center X and Y fields, click the Keyframe button.



- 6 Drag the Center Y parameter to the right until the TITLE text disappears above the rectangle mask.



- 7 Move the playhead to frame 15.
Here is where the TITLE text will reappear onscreen.
- 8 Drag the Center Y parameter to the left until the TITLE text appears back in position below the FULL NAME text.
- 9 Move to the start of the render range.
- 10 Click the Play button to view the animation.

The TITLE text slides in, revealed only within the rectangular matte. Using a combination of position keyframes and mattes, you can create very complex animations with a straightforward setup.


Animating with the Follower

You can animate words using keyframes as you did to move the text in and out of the mattes, but you also have access to a special modifier designed specifically for animating text character by character. The *follower* is a sequential animation modifier that applies keyframe animation to your text with a custom delay between each character. For our animation, we will have each letter in the FULL NAME text rotate into view.

- 1 Select the NAME node, and then select the Text tab in the Inspector.

To apply the Follower modifier, you use the Styled Text box in the Inspector.

- 2 Right-click the Styled Text box and choose Follower.




The Follower is a modifier and, as with other modifiers, its controls appear in the Modifiers tab. What actually *is* a modifier? Modifiers are special add-on tools that help you change an element or parameter without a lot of effort. They are applied by right-clicking the parameter you want to modify and choosing the appropriate modifier. The Follower modifier allows you to easily sequentially animate titles letter by letter.

- 3 At the top of the Inspector, click the Modifiers tab.

To animate the follower, you keyframe the text how you want. You can keyframe position, rotation, size, or even color. Then, once you have designed the animation, you can decide how much delay to place between characters so that the animation ripples through your entire text string.

TIP Many of the sections in the Follower Modifiers tab match those in the Tools tab. For the following steps, make sure you are making changes to the section in the correct tab—in this case, the Modifiers tab.

- 4 In the Follower section of the Inspector, click the Transform tab.



We want the text to slide in from the bottom of the screen.

- 5 Move the playhead to the start of the render range.
- 6 Click the Keyframe button next to the Y Offset control.




Fusion adds another modifier for the motion path you are creating and switches to show you the path controls.

TIP When using the Follower, you must enable keyframing on a parameter before any changes will be visible in the viewer.

- 7 At the top of the Inspector, double-click the Follower1 label to reopen the follower controls.

- 8 Drag the Y Offset value left to around -0.2.




The viewer now shows the text offscreen at the bottom. We'll make this a slide-in that lasts only 15 frames.

- 9 Move the playhead to frame 15 and drag the Y Offset slider back to its default of 0.
- 10 Play the animation to see the results so far.

You've created a 15-frame animation in which the text slides in from the bottom of the screen. Now, using the Timing tab, you can delay the slide-in for each letter in the sentence.

- 11 Click the Timing tab and drag the Delay slider to 2.




Because you set the delay to two frames, the first letter begins to slide in, and two frames later, the second letter begins to follow. Each subsequent letter animates two frames after the one before it.

TIP The effects of the Follower modifier can be quite confusing when you're first getting used to it. It's usually a good idea to set keyframes first (as we've done here), and then apply a delay. If you want to set further keyframes, it's often helpful to first remove the delay, set the additional keyframes, and then apply the delay again. In doing so, you'll keep your sanity intact.

- 12** Play the animation to review it and then stop playback.

The animation ripples through the text starting from the character on the left. However, at the start of the animation, you can still see the text onscreen. You can add additional parameter animations to the Follower—for instance, to fade each character in as it slides.

- 13** Move the playhead to the start of the render range.
- 14** Click the Shading tab and then click the Keyframe button to the right of the Opacity slider.



- 15** Drag the Opacity slider to 0.

The viewer now shows the text completely faded.

- 16** Move the playhead to frame 15 and drag the Opacity slider back to 1.0.

- 17** Play the animation to see the added fade.

As the Name text slides in, it overlaps the title text. We can use the same Rectangle mask trick we see on the title text to limit the visibility of the Name text to within the boundary of the rounded rectangle.

- 18** Drag the output of the new Rectangle2_1 node into the blue mask input of the Name node.

Now the masked Background node is used as the mask for the Name text.




- 19** Play the animation to see the added mask.

Almost all the controls in the Text tools tab of the Inspector can be animated using the Follower, including position, size, shearing, and color. By playing around for only a few minutes, you can see why this modifier is a fantastic tool for motion graphics.

Adjusting Keyframe Timing


The Fusion page has incredible Keyframe and Spline Editor tools for refining animation. The Keyframes Editor is an easy way to modify the timing of animations. The Keyframes Editor can be used when you are not as concerned about the interpolation between keyframes, but about the timing between them.

- 1 In the upper right of the Fusion window, click the Keyframes button.



To open more room for the Keyframes Editor, you can temporarily hide the Node Editor.

- 2 In the upper left of the Fusion window, click Nodes to hide the Node Editor.
- 3 In the upper right corner of the Keyframes Editor, click the Zoom to Fit button to fill the panel with the keyframe tracks.




TIP Dragging in the timeline ruler at the top of the Keyframes Editor will expand the tracks horizontally so you can zoom in to a specific area.

The Keyframes Editor shows tracks much like a multilayered timeline on the edit page. However, the track stacking order in the Keyframes Editor has no bearing on the arrangement of images in the viewer. The tracks only adjust the timing of elements and keyframes.


The nodes in the Node Editor are listed to the left in the header, and you can choose to view all nodes or only nodes with keyframes applied.

- 4 From the Sort menu in the upper right corner of the Keyframes Editor, choose Animated from the bottom of the menu to show only tracks with keyframes applied.



Thin vertical lines represent the keyframes on each node, but you can expand each track to show individual tracks for each parameter with keyframes.


- 5 In the header area to the left of the Keyframes Editor, click the disclosure arrows next to the NAME track to display the individual keyframe tracks for the Follower.



TIP Selecting a tool's name in the header also displays its controls in the Inspector and selects its node in the Node Editor.

Let's have the FULL NAME animation last five frames longer. To do this, you'll move the last two keyframes on the two tracks a few frames later in the timeline.

- 6 Drag the red playhead to frame 20.
- 7 In the NAME track, drag a selection rectangle around the two ending keyframes on each track.



TIP When a keyframe is selected in the Keyframes Editor's timeline, you can press Command-Delete (macOS) or Ctrl-Backspace (PC) to delete the keyframe.

These keyframes represent the last keyframes for the Follower's Character Offset and Styled Text Opacity animation. Dragging a selection rectangle around the keyframes selects them, as indicated by the yellow selection color.

- 8 With the keyframes selected, drag them to line up with the red playhead.

As you drag, a tooltip in the lower left corner of the window displays the current frame number.

TIP You can click in a gray area of the timeline to move the playhead by holding down Command-Option (macOS) or Ctrl-Alt (PC) and clicking where you want the playhead to move.


Now, you can improve the timing of the TITLE text.

- 9 In the header area, click the disclosure arrows next to the TITLE track.

TIP When selecting MediaIn nodes, you can use the Keyframes Editor's timeline tracks to trim and slide the start and end points, much as you would trim them in the edit page timeline.

Instead of just dragging keyframes, you can enter an exact frame number or an offset value to move them. Let's move the TITLE text so it begins 10 frames later.

- 10 Select the two keyframes on the TITLE track Layout Center : Path : Displacement track.



- 11 With the keyframe selected, in the lower right of the Keyframes Editor, from the Time dropdown menu, choose T Offset.



Entering a value in the T Offset field will move the selected keyframes forward or backward by the number of frames entered.

- 12 In the T Offset field, type **10.0** and then press Enter to move these two keyframes 10 frames forward.




- 13 Click the Play button to view the results.

Changing Interpolation in the Keyframes Editor

Although the Keyframes Editor doesn't have the flexibility of a Spline Editor, you can still make some interpolation changes to smooth animations.

- 1 In the Keyframes Editor, right-click over the last TITLE keyframe on frame 25.



- 2 From the contextual menu, choose Smooth.

This applies a smooth interpolation to the last keyframe to give it a softer landing. Although you cannot change it as you can in the Spline Editor, sometimes the default setting is all you need.

- 3 Click the Play button to view the results.
- 4 When you're done reviewing, close the Keyframes Editor and open the Node Editor.


Trying Out Versions

When designing the look of your title, you'll often go through a few iterations of font, color, and layout. Fusion can help with these iterations by using versions. Each node can have up to six saved states, called *versions*. Each version saves a snapshot of the Inspector that you can return to at any time during your project. It's a great way to try out different node settings without losing your previous work.

- 1 Move to the middle of the render range where all the elements are onscreen.
- 2 Select the Banner node.



- 3 In the Inspector header, click the Versions button.



The versions are numbered starting with the default selection, Version 1. Clicking another number selects that version. Any changes you make from that point on will be saved for the selected version.

- 4 Click the Version 2 button.
- 5 Change the gradient color stop on the right side to white.

You now have two different versions. You can switch back to version 1 at any time by clicking the Version 1 button.

- 6 Select the Version 1 button at the top of the Inspector to see the initial outline gradient.

- 7 Click back on the Version 2 button to return to the updated look.


TIP Versions are saved only for the current node in the project. Adding a second node of the same type will not include the saved versions. However, you can save the current configuration as the default setup for a node by right-clicking it and choosing Settings > Save Default.

Any node can take advantage of versions as you work out your design or composite. It makes for quick design changes if you or your client decide that you/they like an earlier look you created. It's just one click away.

Timeline Versions


If you intend to make a more fundamental change to the composition—such as changing the entire layout or adding nodes to the comp—you may want to make a *timeline version*. Timeline versions are entire compositions that are saved for each clip that enable you to make minor or major changes in a composition while retaining access to previous versions.

- 1 In the upper left of the user interface toolbar, click the Clips button.



The Clips button displays a thumbnail timeline at the bottom of the Node Editor that shows every edit in the currently loaded timeline.

- 2 Right-click the currently selected thumbnail, which is the currently selected clip, and choose Create New Composition.



The previous animation is now saved as Composition 1, and Composition 2 is currently loaded. You can change the look of each element in this comp, and it will be saved as Composition 2.

- 3 Select the Merge2 node and, in the Effects Library, choose the Tools: Blur category, and then click the Soft Glow tool.



The Soft Glow node adds a nice halo effect.

- 4 Press 1 to see the Soft Glow effect in the viewer. Move the playhead to frame 50 to see the completed title build.
- 5 In the Inspector, drag the Gain slider down to 1.0.



You can switch between timeline versions at any time.

- 6 In the Clips timeline, right-click the selected thumbnail and choose Composition 1 > Load.
- 7 Load the composition you prefer to use for the template.

Now you have two clip versions saved: one with the Soft Glow and one without. The current version you have loaded is the one without the Soft Glow, which we'll use to make a template that we can reuse in the edit page.


Saving a Template

After going through the effort of creating this lower-third design, you may want to reuse it with small tweaks to fit different interview subjects. Rather than opening this entire comp over and over, you can save it as a single template in the edit page Effects Library. The first part of creating this template is to use Fusion's macro creation feature to collapse all the nodes into one single node that displays only the parameters you want to be able to tweak.

- 1 Click in an empty area of the Node Editor and then select the NAME node.
- 2 Hold the Command key (macOS) or the Ctrl key (PC) and select the TITLE node.
- 3 Now, press Command-A (macOS) or Ctrl-A (PC) to select all the remaining nodes.

The order you select the nodes is the order they appear in the macro list, making it easier to place the most important nodes at the top of the list.

- 4 Right-click over any of the selected nodes and choose Macro > Create Macro.




The Macro Editor window shows every node and every parameter in the node tree. There is a field at the top to name the macro.


- 5 In the Macro Name field at the top of the window, name the macro **2D TRAINING LOWER THIRD**.

The list of nodes and parameters can be a bit daunting at first, but you are really only interested in the top two text nodes. We'll only want the template to provide controls for changing the text and size.

- 6 In the macro list, click the disclosure arrow next to Image to hide those parameters.



- 7 Click the checkbox to the right of the StyledText field, and then replace the Styled Text with the SUBJECT NAME.



By clicking the checkbox next to StyledText, you have selected it to be displayed in the edit page Inspector. The label that will show next to this text field will be Subject Name.

- 8 In the macro list, click the disclosure arrow next to NAME to hide all those parameters.
- 9 Click the disclosure arrow next to TITLE, close the Image section, and then enable the checkbox for StyledText.

So that this styled text is not confused with the previous settings related to the TITLE text, let's rename this parameter.

- 10 Change the StyledText name to **JOB TITLE**.
- 11 Click the Close button and click Yes in the warning dialog to save the template.

A Save window appears, allowing you to choose where on your hard drive the macro will be saved. The default location saves it for access through the Fusion page only. To get it to show up in the edit page, you'll need to change the location.


- 12 In the Save window, select:
 - **On macOS:** Library > Application Support > Blackmagic Design > DaVinci Resolve > Fusion > Templates folder and then select the Edit > Titles folder.
 - **On Windows:** AppData > Roaming > Blackmagic Design > DaVinci Resolve > Fusion > Templates folder and then select the Edit > Titles folder.

TIP If any of the folders don't yet exist, you may need to create them.

This location saves the template so it will show up in the edit page Effects Library.

- 13 Click Save in the window, and then quit and relaunch DaVinci Resolve.

- 14 Open the **DR20 Fusion Animation** project and switch to the edit page.
- 15 In the Effects Library, select the Titles category and scroll down to locate the 2D TRAINING LOWER THIRD template.
- 16 Drag the template to the timeline and place it over the existing title.
- 17 Select it to view the controls in the Inspector.



Completed node tree for lesson 6.

You've completed this lesson on type and title animation by animating in multiple ways, modifying those animations, and designing a look. You started with the Text+ tool in the edit page and then brought it into the Fusion page to build a more complex animation using keyframes and the Follower, using both node versions and timeline versions to save different looks and animations of your composition. Finally, you saved the title animation as a template that can be accessed in the edit page.

Lesson Review

- 1 True or False? Timeline versions save only the appearance of text.
- 2 True or False? You apply the Follower to text by right-clicking in the Styled Text box where you type the text.
- 3 True or False? Only one word can be entered into a Text+ node.
- 4 True or False? Adding a keyframe to a parameter in the Inspector will cause that keyframe to appear in both the Keyframes Editor and the Spline Editor.
- 5 True or False? Clicking a version button in the Inspector for a selected node will also save the settings for any node connected to the selected node.

Answers

- 1 False. Timeline versions save the entire composition in its current state.
- 2 True. You apply the Follower to text by right-clicking in the Styled Text box where you type the text.
- 3 False. A single Text+ node can include multiple lines of text.
- 4 True. The Keyframes Editor and the Spline Editor show all keyframes on all parameters.
- 5 False. Clicking a version button in the Inspector saves only the settings for the selected node.

Lesson 7

Addendum: Animating with Keyframes and Modifiers

In this lesson, you'll move beyond title animations into full-motion graphic design. A motion graphics designer creates every animated logo, infographic, and design element in a commercial, TV show, or web video. When you take on the role of motion designer, you aim to convey a message by animating graphics. Although that often includes text, as we have explored in the previous lesson, now you'll work on more general animation techniques.

Time

This lesson takes approximately 45 minutes to complete.

Goals

Identifying a Clip's Resolution	170
Keyframing a Motion Path	171
Auto-Orienting Objects	176
Straightening Out Alpha Channels	177
Painting a Motion Path	178
Linking Parameters	182
Making Acceleration Adjustments	185
Applying Random Animation Modifiers	187
Customizing Motion Blur	189
Lesson Review	191

The motion design you'll create in this lesson borrows a lot from major Hollywood movies. You will create a vintage travel map look, complete with a plane and animated travel line. You'll use different animation techniques—including a mixture of keyframes, simple expressions, and modifiers—as you sharpen your animation skills.



Completed composite for Lesson 7.

Identifying a Clip's Resolution


To start this Fusion composition, you'll use the same project and timeline you used in the previous Title animation lesson. This project and timeline contain a vintage map, which you can use as the background for your plane and painted flight path line.

NOTE The Timelines bin includes a Backups bin with timelines saved at various stages of the lesson and a Completed Projects bin with finished compositions. Both bins are available for reference and for reverse-engineering the node trees.

- 1 From the edit page in the **DR20 Fusion Animation** project, load the **Motion Graphics-START** timeline and move the playhead to the vintage map clip.

This map is a simple 4K image in an HD timeline. You'll use it as the background behind your animated plane. Because a project's resolution in the edit page uses the master timeline settings, clips brought into a project are usually scaled automatically to fit the timeline's resolution.

- 2 Click the Fusion page tab or press Shift-5.
- 3 If you are using dual viewers, click the Single Viewer Mode button in the upper right corner of viewer 2 to return to single viewer mode.
- 4 Hold the Command key (macOS) or the Ctrl key (PC), position the mouse pointer over viewer 1, and scroll the middle mouse wheel until you see the resolution in the upper right corner of the frame.




The resolution displayed in the upper right corner of the Fusion viewer shows a UHD resolution (3840 x 2160). Although your timeline resolution in the edit page is 1920 x 1080, the Fusion page sets its composition size based on the original clip's size. Therefore, you are always compositing with the highest resolution, direct from the source. On returning to the edit page, the MediaOut node scales down the final result to fit the edit page timeline's resolution.

Keyframing a Motion Path

With your project set, you'll keyframe a plane across the map to create a motion path that you can then reuse for other elements in the project. To keyframe the plane's position, you'll first import the graphic and then apply a Transform node. The plane graphic you can use in this composition is already in the media pool.

- 1 In the upper left corner of the DaVinci Resolve window, click the Media Pool button to open the media pool.
- 2 From the Clips bin, drag the biplane with the alpha.tif file into an empty area of the Node Editor.




- 3 With the MediaIn2 node selected, press 2 to display it in viewer 2, then press F2, and rename the node **BIPLANE**.

- 4 Select the MediaIn1 node and rename the node **MAP**.

For this lesson, you'll use viewer 2 in a single-viewer layout to give yourself a good amount of design space.

- 5 Drag the output of the BIPLANE node to the output of the MAP node to create a Merge node with the biplane as the foreground.



- 6 Select the Merge node and press 2 to see the composite in the viewer.



The biplane is displayed over the background map, but it is clearly too large to fit within the vintage map background.

- 7 Select the BIPLANE node and, in the toolbar, click the Transform tool.

TIP While the Merge node contains transform controls—and we could use those to animate the plane and adjust its size—it’s usually considered better form to explicitly add a Transform node. This makes the node graph more readable: coming back to the project several days later, you can immediately identify that the Transform is doing the moving of the plane. It would be far less easy to intuit that it’s the merge performing the movement just by looking at the nodes in the graph.

- 8 In the Inspector, adjust the plane’s size to 0.20.



The plane is now more proportional to your map. We can begin keyframing it across the map to simulate a flight path.

- 9 Drag the playhead to position it at the start of the render range.
- 10 Hold the Command key (macOS) or the Ctrl key (PC), position the mouse pointer over viewer 2, and scroll the middle mouse wheel until you have a bit of room around the frame. You’ll use this space to position the plane out of the frame.


- 11 Using the plane's center control in the viewer, drag the plane offscreen left, just off the coast of Mexico.



- 12 As you would in the edit page, click the Keyframe button for the Center X and Y controls in the Inspector.

You have now set a keyframe for the first frame of this composition. As you move the playhead and drag the plane to a new location on the map, a keyframe will be added automatically, and you will begin to create a motion path.


- 13 Move the playhead to frame 25, and then drag the plane in the viewer to the northernmost part of Canada to add a second keyframe.



As you drag the plane, a line representing the motion path is drawn in the viewer.

- 14 Move the playhead to frame 50 and drag the plane to the southern tip of Africa.
- 15 On frame 75, move the plane over China.


- 16 Finally, move to frame 100 and drag the plane offscreen, somewhere near New Zealand.



TIP Each control point along the path represents a keyframe. Command-click (macOS) or Alt-click (Windows) on the path in the viewer to add a control point that does not correspond to a keyframe. This allows you to change the spatial shape of the path without having to manage temporal adjustments.

With the basic flight path of the plane created, you'll quickly smooth the path so it is less linear.

- 17 In the viewer toolbar, click the Select All Points button.



- 18 Click one of the points (all points should remain selected), and then press Shift-S or click the Smooth button in the viewer toolbar to smooth the plane's path.

The path for the plane now has smooth curves as it travels across the map.

- 19 Press the Play button to review the animation.

Like the Follower that you used in previous lessons, the spline shape created by keyframing includes a modifier that converts the spline into a path.


You can use that path modifier to drive the animation of other elements.

Auto-Orienting Objects

This animation would be better if the nose of the plane followed the direction of the plane's path. Instead of keyframing the angle of rotation for the plane, you can connect the angle to the path modifier and have Fusion dynamically animate the orientation of the plane.

Then, as the plane moves along the path, the plane's angle also changes accordingly, making it "turn" at each bend of the path. In the future, if you adjust the path in the viewer, the plane's angle also adjusts according to the path curvature.

- 1 Select the Transform node in the Node Editor.
- 2 In the Inspector, right-click the angle parameter and choose Connect To > Path > Heading.



The Connect To menu is used to link a parameter to an existing modifier. In this case, the modifier is the path you created by keyframing the plane. Connecting the angle parameter to the path modifier auto-oriens the parameter.

- 3 Return to the start of the render range and play the animation.

The path modifier changes the angle of the plane dynamically, based on its movement along the path.



Straightening Out Alpha Channels

To better integrate the plane with the map, let's give the plane a more weathered, vintage look.


- 1 Select the Transform node and, in the toolbar, click the Color Correction tool.
- 2 In the Inspector, use the color wheel to tint the plane to better match the background and increase the lift to about 0.25 to give the plane a faded, sepia-tone appearance.



As you adjust the lift on the plane, the background map also brightens. You've been in this situation before. It's the problem that occurs when you perform color correction on an image with a premultiplied alpha channel. Just as we did with the DriveDoc in Lesson 1 and the Pizza graphic in Lesson 4, you can enable the Pre-Divide/Post-Multiply checkbox in the Color Corrector to fix the issue.

TIP If you increase the gamma instead of the lift, you're more likely to see a white halo around the image instead of a brightened background. However, the root cause of this behavior and its solution are the same.

- 3 In the Inspector, click the Options tab and then select the Pre-Divide/Post-Multiply checkbox.



TIP Alternatively, you could deselect the checkbox and insert an Alpha Divide node before the color correction and an Alpha Multiply after the color correction.

With the airplane looking good, you can enhance this project by having a classic, red-dotted line animate along with the plane, highlighting its flight path.

Painting a Motion Path


In Fusion, you can use paint strokes for visual effects and animated motion graphics.

No matter what the task, painting always starts with a Paint tool. Unlike using multiple brush and shape tools to achieve the painting style you want, Fusion includes a single versatile Paint tool that incorporates many brush types and paint styles. To paint the path across our map, you'll add a Paint node directly after the MAP node.

- 1 Select the MAP node and, in the toolbar, click the Paint tool.

The Paint tool is added directly after the MAP node. At the top of the viewer is a toolbar for the selected Paint node. The toolbar offers several strokes and paint styles suitable for motion graphics or retouching shots. The paint stroke style that is comparable to drawing a spline path is the Polyline Stroke brush.

- 2 In the viewer toolbar, click the Polyline Stroke.



Unlike other paint stroke styles with which you could *paint* out the path using one continuous brushstroke, the Polyline Stroke functions similarly to a Bézier-style drawing tool: you click to add control points that create a *painted* stroke.

For your plane path, you'll only need to add two points to create a line of any length, anywhere on the screen. Once you have a polyline stroke, you can modify it to use the plane's path to define the stroke shape.


- 3 Click over Brazil and then click again over Australia.



Where you click doesn't really matter; as you'll see, we're about to replace this initial stroke entirely.

You now have a polyline paint stroke that you can modify with the path modifier. However, the path modifier currently exists only on the Transform node where you created the keyframes. You'll need to make it available to all other tools.


- 4 Select the Transform tool and click the Modifiers tab.



The Modifiers tab shows the Path 1 that you created when you keyframed the plane.


Modifiers are just optional extensions to a tool's main feature set. For instance, you used the Transform tool to create a spline through position keyframes. Creating a spline using position keyframes automatically creates a path modifier. That modifier can then be published and made available to any object that can make use of a path. Therefore, the first step is to publish the path so the paint stroke can use it.

- 5 At the bottom of the Modifiers tab, right-click over the label "Right-click here for shape animation" and choose Publish.




At the top of the Inspector, the Modifiers tab shows the path: polyline, which is now published and available for other tools.

- 6 Select the Paint node and then select the Modifiers tab if it isn't already selected.
- 7 At the bottom of the Inspector, expand the stroke controls section. From here, you can connect to the published path polyline.
- 8 At the bottom of the stroke controls, right-click over the label "Right-click here for shape animation" and choose Connect To > Path 1: Polyline > Value.




The simple polyline paint stroke you created now takes the shape of the motion path. Once you have a paint stroke, any changes are made in the Modifiers tab.

- 9 At the top of the Modifiers tab in the Inspector, expand the brush controls (you might need to double-click the PolylineStroke1 section to expand it first). Change the Size to about 0.01 and drag the Softness slider all the way to the left.



- 10 In the apply controls, change the color to a vibrant red.
- 11 In the stroke controls, drag the spacing slider all the way to the right to create a dotted line.



Sliders in the Fusion page can only go so far, but that does not mean the parameter's value is restricted. You can enter values larger than the limit of the slider. Doing so will scale the slider's range to allow for the new larger value.

- 12 In the spacing numeric field, enter **1.5** and press Enter.




The dotted line in the viewer now has more spacing between dots, but more importantly, the slider range has grown so that you can drag to 1.5 and even a bit beyond. Almost every slider in the Fusion page includes this extended-range capability.

Linking Parameters

To add more visual interest, you'll animate the dotted line so that it follows the plane. The hard way to do this is just to keyframe the line, but if you change the plane's speed, you'll then need to go back and adjust the paint stroke's animation as well. Fusion allows you to link the animation of one parameter to any other parameter, even if the parameters are completely different.

- 1 In the Modifiers tab, drag the Write On End slider back and forth to see the results in the viewer.



The Write On control has Start and End values that you can change by dragging the sliders. Dragging the End slider changes the end of the paint stroke, creating a

paint-on effect. You can animate this control by connecting it to the path's displacement property so that it writes on at the same rate as the plane's position along the path.

- 2 Right-click the Write On's End handle and choose Connect To > Path1 > Displacement.
- 3 Drag the playhead through the render range to watch the path write on, following the plane.

The Connect To menu provides a very easy way to connect two parameters, but it doesn't allow much flexibility. For instance, what if we wanted the paint stroke to lead the plane by just a few frames instead of following the exact same position as the plane? The Connect To menu has no way to do that, but you can link parameters in other ways. These alternatives may require a bit more work but give you much greater flexibility. First, you'll remove the connected displacement from the End handle of the write on.

- 4 Right-click the Write On's End handle and choose Remove Path1 Displacement.

Now, the displacement parameter you want to link to is located on the Modifiers tab of the Transform node, since this is where the path was generated.


- 5 In the Node Editor, select the Transform node and click the Modifiers tab. If Path1 isn't already expanded, double-click it to expand it.

The Transform's path modifier includes the displacement and heading parameters that you connected to earlier.

- 6 Drag the playhead back and forth to see how the displacement parameter animates based on the time in the composition.


As you drag through the render range, the displacement parameter is animated to move the plane along the path. This is the control to which you want the End slider of the paint Write On to link.

- 7 With the Transform node selected, from the upper right corner of the Path1 Inspector's section, click the Pin button to prevent Path1 from closing when you select another node.



By pinning the Path1 Inspector, you can select another node and see the two nodes' controls at the same time. This setup makes it possible to link the two parameters from different nodes.


- 8 In the Node Editor, select the Paint node and then select the Modifiers tab in the Inspector.
- 9 In the Write On End field (under Stroke Controls) type = (equals sign) and press Return or Enter.



Typing an equals sign in any numeric field opens a simple expression field. This expression field gives you the option of linking two parameters by typing the name of the parameter you want to link or by linking the two parameters using a pick whip.

TIP A *pick whip* is a graphic line that you draw between two parameters as a shortcut method of creating an expression.


- 10 In the Inspector, drag from the plus icon on the left of the expression field up to the Displacement label in the Path1 controls.



- 11 Play the composition to see the linked animated paint stroke.

These animated elements look good so far, but as we said, this method offers some flexibility over the Connect To menu. You can customize the speed or position of the dotted path by modifying the expression that you added with the pick whip.

- 12 In the expression field, insert **+1** at the end of the expression. By adding +1 to the expression, you are offsetting the displacement by 10%, moving it ahead of the plane's displacement.



- 13 Play the composition to see the offset paint stroke.

Since you won't be linking any more parameters right now, you can unpin the Path1 from the Inspector.

- 14 In the Node Editor, select the Transform node.
- 15 In the upper right corner of the Inspector, click the Pin button to release the Path1 controls in the Inspector. The Path1 controls will close when you select another node.

This simple pick whip example animates one parameter based on the value of another.


If you modify the speed or acceleration of the plane, the paint stroke inherits the same adjustment.

Making Acceleration Adjustments

Unless you're trying to create a very robotic animation, you'll seldom use linear motion as we have here. Controlling how quickly and smoothly elements move from one state to another is a crucial step in motion graphics. By default, the Fusion page applies a linear interpolation between keyframes, so animations move at a constant rate. However, we can return to the Spline Editor and have the plane slowly accelerate as the path dips into southern Africa and then slow it down again when it reaches the top of the path on the right.

As we make the change, the linked paint stroke follows along, inheriting the same acceleration changes.

- 1 In the upper right of the Fusion window, click the Spline button to open the Spline Editor. The Spline Editor header on the left side of the panel shows all the animated parameters.
- 2 Select the checkbox next to the Transform Center (Path1) Displacement parameter.




- 3 In the upper right corner of the Spline Editor, click the Zoom to Fit button to fill the graph area with the selected displacement spline.

Changing the acceleration of the plane along the path consists of smoothing the spline between keyframes and then adjusting the spline handles to increase or decrease the rate of acceleration.

- 4 Drag a selection rectangle around all the keyframes in the Spline Editor.



- 5 In the lower left corner of the Spline Editor, click the Smooth button or press Shift-S to smooth all the keyframes.



- 6 Right-click one of the keyframes and choose Flat.



This will slow the animation just before and just after the keyframe.

- 7 Play the animation to see the results.

You produced a more realistic animation just by smoothing the interpolation and flattening the rate of change on specific keyframes.

Applying Random Animation Modifiers

Modifiers can do so many amazing things for your animations, like converting splines to paths, creating rippling animations for text, and even animating any parameter using randomly generated values. Random animation can come in very handy when trying to create a wiggling position animation or flickering lights using brightness controls.

To complement this vintage animation, you'll use one of DaVinci Resolve's built-in filters to create a flickering old-style film look.

- 1 Close the Spline Editor and select the Merge1 node in the Node Editor.

You'll add a filter effect to the entire composition by placing it directly after the Merge1 node.

- 2 In the upper left of the interface, click the Effects Library and, from the OpenFX category, open the Resolve FX Film Emulation subcategory of filters.



- 3 Click the Film Damage tool to add it to the Node Editor and then press 2 to see the results in the viewer.




- 4 Play the composition to review the newly added filter.

The Film Damage filter adds some film scratch lines, a slight vignette, and a sepia tint to the composition. With all the parameters in the Inspector, you have a great deal of control for customizing the effect. One addition that would make it more realistic would be a bit of flickering light simulating an old film projector bulb on its last bit of energy. Instead of animating this effect, we can use the Perturb modifier to automatically generate random animation.

- 5 In the Inspector, right-click over the Focal Factor label.

The Focal Factor parameter adjusts the strength of the vignette. If you apply a random animation to this slider, it will give the appearance of a weakening light bulb.

- 6 Choose Modify With > Perturb from the contextual menu.



- 7 Play the composition and let the animation cache to RAM to review the flickering animation.

The effect is less a flickering projector bulb and more a slow pulse. As with many modifiers, you can control several properties to get the look you want.

- 8 Click the Modifiers tab at the top of the Inspector.

At the top of the Modifiers tab is the Value setting. The Perturb Value setting uses the current focal factor setting as a starting point. Dragging the Value slider is similar to dragging the Focal Factor slider.

Other controls—such as strength, wobble, and speed—control how far the focal factor parameter varies from the initial value, setting how erratic the motion is and the speed of the motion. Keeping the Strength setting at a lower value keeps the flickering from getting too dark or too bright. Keeping the Wobble and Speed higher creates a faster, more chaotic energy to the animation.

- 9 Lower the Strength to 0.5 to make the change in brightness less drastic.
- 10 Increase both Wobble and Speed to 10 and play back the animation.

The Perturb modifier is extremely flexible; you can add it to polylines, grid meshes, and even color gradients to wiggle or randomize almost any parameter you want to animate.

Customizing Motion Blur


As we did with the text in the previous lesson, the last refinement you'll make to this animation is to increase its photorealism with some motion blur.

- 1 Move the playhead to the middle of the timeline where the plane is onscreen.



- 2 Unlike in the previous lesson, where the Text+ node created the motion, here the Transform1 node is creating the motion. So start by selecting the Transform1 node connected to the biplane.

- 3 In the Inspector, select Tools, and then click the Settings tab and select the Motion Blur checkbox.



The quality and shutter angle of the motion blur are the two most commonly used controls for improving the look and spread of the blur; however, increasing these two controls also increases rendering time.

- 4 Increase the Quality to 6 and the Shutter Angle to 200.




The Quality parameter increases the number of times the image is replicated to create blur. The Shutter Angle simulates the shutter angle in a camera. Higher numbers create a smoother “smear” between samples. Setting this parameter to 360 is similar to having the shutter in a camera open for an exposure of one whole frame.

TIP Right-clicking to the right or left of the transport controls allows you to disable motion blur for the entire composition.

Now you can return to the edit page and use DaVinci Resolve's smart cache to render and view your animation.

- 5 Click the edit page, and then choose Playback > Render Cache > Smart. Once the cache is complete, play back the animation.

You have completed your vintage biplane animation and are ready to show your clients your design.



Completed node tree for Lesson 7.

Lesson Review

- 1 True or False? You cannot connect the output of a MediaIn node directly to the input of a Paint node.
- 2 True or False? To attach a paint stroke to a path, you must publish the path.
- 3 True or False? When using an image with a premultiplied alpha channel, you must divide the alpha prior to color correcting it. Then it must be multiplied again before being connected to a Merge node.
- 4 True or False? To auto-orient an object along a motion path, you right-click over the Center X and Y parameter and choose Connect To > Path > Heading.
- 5 True or False? The Displacement parameter controls an object's position along a motion path.

Answers

- 1 False. You can connect the output of a MediaIn node directly to the input of a Paint node.
- 2 True. To attach a paint stroke to a path, you must publish the path.
- 3 True. When using an image with a premultiplied alpha channel, you must divide the alpha prior to color correcting it. Then it must be multiplied again before being connected to a Merge node.
- 4 False. To auto-orient an object along a motion path, you right-click over the Angle parameter and choose Connect To > Path > Heading.
- 5 True. The Displacement parameter controls an object's position along a motion path.

Index

4:2:2 chroma subsampling, [119](#).
See also [chroma key](#)

A

acceleration adjustments, making, [185–186](#)
aligning clips, [50–53](#)
alpha channels
 defined, [72](#)
 embedding into images, [75–78](#)
 straight and premultiplied, [101](#)
 straightening out, [177–178](#)
animating
 dotted line for plane, [182–185](#)
 with Follower, [153–156](#)
 with keyframes, [27–28](#)
 splines, [123](#)
 Title text, [151–152](#)
animating with keyframes and modifiers.
 See also [keyframes](#); [modifiers](#)
 auto-orienting objects, [176](#)
 customizing motion blur, [189–191](#)
 with Follower, [153–156](#)
 identifying clip's resolution, [170–171](#)
 keyframing motion paths, [171–175](#)
 linking parameters, [182–185](#)
 making acceleration
 adjustments, [185–186](#)
 painting motion paths, [178–182](#)
 straightening out alpha
 channels, [177–178](#)
animation modifiers, applying, [187–190](#).
 See also [modifiers](#)
Apply Mode, changing to Difference, [51](#)
arrows and connecting lines, [11](#)
Auto Resolution button, [68](#).
 See also [resolution](#)
auto-keyframing, disabling on spline
 shapes, [44](#). *See also* [keyframing motion paths](#)
auxiliary mattes, rotoscoping, [120–129](#).
 See also [mattes](#)

B

background, lining up, [129–131](#)
background banner, creating, [147–150](#)
Background node, adding, [35](#).
 See also [nodes](#)
background plate, [8](#)
Background tool, Image tab, [67](#)
backgrounds. *See also* [Clean Background slider](#)
 layering images over, [10](#)
 lining up, [129–131](#)
Backups bin, [112](#), [140](#)
banner. *See* [background banner](#)
bins. *See* [Timelines bin](#)
biplane, dragging from Clips bin, [171](#)
black at edge of frame, fixing, [83](#)
black point, setting, [16](#)
Blackmagic Cloud Store, [xx](#)
Blackmagic Design Training and
 Certification Program, [x–xi](#)
Blackmagic URSA clip, [65–66](#)
blank clips, [6](#). *See also* [clips](#)
Blend slider, [27](#)
Blur slider, [73](#). *See also* [motion blur](#)
Blur tool, [26](#)
brightness, impact of spill
 suppression on, [133](#)
B-Spline tool, [120–122](#)

C

caching clips, [28](#)
camera motion, restoring, [53–56](#)
Center X and Center Y fields, [52](#), [123](#), [143](#)
certification, getting, [xi](#)
CG (computer generated), [2](#)
Channel Booleans node, [70](#)
chroma key, defined, [116](#). *See also* [4:2:2 chroma subsampling](#)

- Clean Background slider, [119](#).
See also [backgrounds](#)
- Clean Foreground slider, [119](#)
- clean plate, [8](#)
creating for green screen, [112–116](#)
- Clean Plate tool, [114](#)
- clips. See also [blank clips](#); [Fusion clips](#)
aligning using nudging, [50–53](#)
caching, [28](#)
disabling and enabling, [33–34](#)
previewing, [10](#)
undoing in timeline, [64](#)
viewing, [22](#)
- Clips button, [162](#)
- clip's resolution. See also [resolution](#)
identifying, [170–171](#)
retaining, [60–64](#)
- Clone Apply Mode button, [95](#)
- clone brush, [95–96](#)
- Clone tool, painting with, [93–96](#)
- Cloud. See [Blackmagic Cloud Store](#)
- Color Controls button, [117](#)
- color correcting elements, [131–134](#).
See also [secondary color correction](#)
- Color Corrector node
adding, [83](#)
tools, [14–15](#)
- Color Corrector
Pre-Divide/Post-Multiply checkbox,
[14–15](#), [100](#)
Suppress wheel, [133](#)
- Color page, sending mattes to, [134–138](#)
- color swatch, opening, [148](#)
- colored input, listing, [24](#)
- colors of connections, [11–12](#)
- Combine Alpha option, [77](#)
- Command key. See [keyboard shortcuts](#)
- commands, undoing, [19](#), [28](#)
- Completed Projects bin, [112](#)
- composite
defined, [11](#)
finalizing, [106–108](#)
- compositing
match moves, [32](#)
using Darken Apply mode, [69–70](#)
- compositing using Darken apply
mode, [69–70](#)
- compositions, controlling
resolution, [64–69](#)
- concatenation, defined, [55](#)
- Connect To menu, [54–55](#), [176](#), [183](#)
- connections, colors of, [11–12](#)
- control points, moving, [107](#). See also [points](#)
- Copy command, [145](#)
- Crop node, impact on clip's resolution, [67](#)
- Ctrl key. See [keyboard shortcuts](#)
- cutout, filling in for green screen, [115](#)

D

- dark pixels, adjusting level of, [16](#)
- Darken apply mode, using for
compositing, [69–70](#)
- DaVinci Resolve [20](#)
downloading, [xi](#)
quick setup, [xii](#)
- DaVinci Resolve pages, image processing
across, [36](#)
- deleting keyframes, [159](#)
- Delta Keyer
fine-tuning green screen with, [115–119](#)
fine-tuning with, [115–119](#)
Matte tab, [131–132](#)
- Difference mode, [51](#)
- downloading
DaVinci Resolve, [xi](#)
DaVinci Resolve lesson files, [xviii–xix](#)
- drawing mattes, [44–50](#).
See also [rotoscoping](#)
- DRIVER clip, removing motion from, [37–44](#)
- dual viewer setup, returning to, [53](#).
See also [viewers](#)

E

edges, smoothing, 73

Edit page

styling text in, 140–145

using layers from, 32–36

effects

adding, 13–17

disabling, 17

Soft Glow, 163

Effects Library

adding effects from, 71–73

OpenFX category, 28

opening, 23

Erode/Dilate node, 74–75, 119

expression field, 184

F

F keys. *See* [keyboard shortcuts](#)

Film Damage tool, 187

Focal Factor parameter, 188

Follower, animating with, 153–156

fonts

changing, 146

setting, 142

Force Source Tile Pictures, Node Editor, 7

foreground. *See* [Clean Foreground slider](#)

frames, creating room around, 173

framing views. *See* [reference frame](#)

Fusion

framing views, 5

panning around view, 5

zooming, 5

Fusion clips, creating, 34. *See also* [clips](#)

Fusion interface, exploring, 2–4

Fusion Overlay, selecting, 143

Fusion page. *See also* [pages](#)

button, 62

keyboard shortcuts, 3

mouse and keyboard commands, 4

moving text to, 145–147

navigating, 4–5

Node Editor, 3

sections, 3

tracking in, 37–44

G

Gain slider, 16

gamma and lift, increasing, 177

Gamma control, 16

Garbage Matte, 103, 122

Global In/Out bar, 130

glow effect, creating, 25–26

Gradient type. *See also* [text](#)

choosing for text, 143–144

using for background banner, 148

graphic line, drawing between

parameters, 184

graphics. *See* [signs and screens](#)

green-screen content

adding MediaOut node, 134

color correcting elements, 131–134

creating clean plate, 112–115

fine-tuning with Delta Keyer, 115–119

lining up background, 129–131

rotoscoping auxiliary mattes, 120–129

setting up color page, 135–136

Grow Edges control, 115

H

High threshold slider, 73

holdout mattes, rotoscoping, 123–129.

See also [mattes](#)

holes in keys, fixing, 74–75

I

image processing, 36

images

combining mattes with, 102–104

combining using nodes, 9–12

embedding alpha into, 75–78

filling viewer with, 69

- images (*continued*)
 - fitting into viewer, 5
 - layering over backgrounds, 10
 - showing in viewers, 3
- input devices, 4
- Inspector, displaying, 3
- installing DaVinci Resolve lesson files, *xviii–xix*
- IntelliTrack AI tool, 39
- interface, resetting, 2
- interrupted trackers, fixing, 82–83.
See also trackers
- Invert Matte checkbox, 77

K

- key, fixing holes in, 74–75
- keyboard commands, context sensitivity, 4
- keyboard shortcuts
 - closing mattes, 121
 - closing shapes, 49
 - Copy command, 145
 - disabling effects, 17
 - enabling and disabling, 33–34
 - fitting images into viewer, 5
 - Fusion page, 3, 62
 - inserting nodes, 19
 - moving playhead to start of render range, 38
 - moving points, 126
 - navigating in Fusion, 5
 - Paste command, 145
 - removing nodes, 19
 - renaming nodes, 8
 - Select tool, 83
 - switching nodes, 12
 - undoing commands, 19, 28, 64
- keyframe timing, adjusting, 157–161
- keyframes. *See also animating with keyframes and modifiers*
 - animating with, 27–28
 - deleting, 159
 - moving playhead to, 123
- Keyframes Editor
 - changing interpolation in, 160–161
 - displaying tracks in, 130, 157
 - selecting keyframes in, 159
 - selecting MediaIn nodes, 159
 - Sort menu, 158
 - T offset field, 160
- keyframing motion paths, 171–175.
See also auto-keyframing; motion paths
- keying
 - foreground subject, 136
 - as iterative process, 114
- keys, fixing holes in, 74–75

L

- layers. *See also Photoshop PSD layers*
 - displaying for Fusion clips, 35
 - using from Edit page, 32–36
- lens distortion, removing, 90
- lesson files, getting, *xviii–xix*
- lift and gamma, increasing, 177
- Lift control, 16
- Lift slider, dragging, 14
- line, drawing between parameters, 184
- logo, fixing “strobed” motion in, 107–108
- Low threshold slider, 73
- lower-third rule, using with text, 147.
See also TRAINING LOWER THIRD template
- luma key, blurring, 25–26
- Luma key node, 22. *See also nodes*
- Luma Keyer, 23, 69, 71–72
- luminance, raising, 133

M

- macOS users, *xii*
- Macro Editor window, 164
- macro list, 165
- map clip, 170–171
- mask and matte, 45
- masks, working with, 20–22

- match moves, [32](#)
- match moving with Planar transform, [104–105](#)
- matte and mask, [45](#)
- Matte category, choosing from Tools, [23](#)
- Matte Control, displaying in viewer, [103](#)
- Matte Control node, [75–78](#)
- matte edges, expanding or shrinking, [74–75](#)
- mattes. *See also* [auxiliary mattes](#); [holdout mattes](#)
 - closing, [121](#)
 - combining with images, [102–104](#)
 - combining with RGB images, [75–78](#)
 - drawing, [44–50](#)
 - filling in black holes in, [119](#)
 - performing changes to, [106](#)
 - revealing text with, [151–152](#)
 - rotoscoping, [120–129](#)
 - sending to color page, [134–136](#)
 - softening edges of, [128](#)
- Media Pool button, [171](#)
- Media Pool panel, closing, [23](#)
- MediaIn node
 - adding thumbnails to, [6–7](#)
 - Keyframe Editor, [159](#)
 - selecting and loading, [9](#)
- MediaOut node, disconnecting, [6](#)
- Merge node
 - creating and adding, [68](#)
 - displaying, [66](#)
 - dragging, [67](#)
 - transform controls in, [173](#)
- Merge node, adding, [10](#)
- Merge tool, [10](#)
- Minimum mode, [70](#)
- modifiers. *See also* [animating with keyframes and modifiers](#)
 - adding to motion paths, [153–154](#)
 - linking parameters to, [176](#)
 - Transform path, [182](#)
- Modify Only button, [126](#)
- motion blur. *See also* [Blur slider](#)
 - customizing, [189–191](#)
 - disabling, [191](#)
- motion paths
 - adding modifiers to, [153–154](#)
 - keyframing, [171–175](#)
 - painting, [178–182](#)
- mouse commands, context sensitivity, [4](#)
- MultiPoly node, [124–125](#)
- Multitext tool, [146](#)

N

- Node Editor
 - adding media to, [9](#)
 - Force Source Tile Pictures, [7](#)
 - nodes in, [3](#)
 - setting up, [6–8](#)
 - source tile pictures, [7](#)
 - work area, [4](#)
 - zooming, [4](#)
- node flow, understanding, [17–19](#)
- node names, restriction, [36](#)
- node trees
 - constructing, [55](#)
 - reverse-engineering, [112](#)
- nodes. *See also* [Background node](#); [Luma key node](#)
 - adding, [14](#)
 - enabling and disabling, [17](#)
 - inserting, [19](#)
 - reconnecting, [12](#)
 - removing, [19](#)
 - renaming, [8](#)
 - selecting, [163](#)
 - switching, [12](#)
 - and tools, [6](#)
 - using to combine images, [9–12](#)
 - viewing, [157](#)
- nudging clips, [50–53](#)

O

objects, auto-orienting, [176](#)
Operation tab, using with tracking data, [42](#)
Options button, [15](#)
overlay menu, [143](#)

P

"P" in Command-P/Ctrl-P
("pass-through"), [17](#)
pages, image processing across, [36](#).
See also [Fusion page](#)
painting
 with Clone tool, [93–96](#)
 motion paths, [178–182](#)
panning viewers, [5](#), [47](#), [95](#)
parallax, occurrence of, [41](#)
parameters
 linking, [182–185](#)
 linking to modifiers, [176](#)
PASSENGER clip, removing motion
 from, [37–44](#)
Paste command, [145](#)
Path Center menu, [82](#)
pen and tablet input devices, [4](#)
Perturb option, [188](#)
Photoshop PSD layers, using, [96–101](#).
See also [layers](#)
pick whip, defined, [184](#)
pipes
 described, [11](#)
 disconnecting, [12](#)
pixels, selecting ranges of, [24](#)
planar surfaces, tracking, [88–92](#)
Planar Tracker, displaying in viewer, [89](#)
planar tracking, selecting area for, [90](#)
Planar transform, match moving
 with, [104–105](#)
plate, defined, [8](#)
playhead
 dragging through render range, [8](#)
 moving to keyframes, [123](#)
 moving to start of render range, [38](#)

Point tracker, [81](#)
point tracker. *See also* [tracker points](#)
 adding, [38](#)
 search box, [39](#)
points. *See also* [control points](#)
 moving, [126](#)
 smoothing corners of, [128](#)
Polygon button, [126](#)
polygon matte, refining, [123](#)
Polygon shape tool, [45–46](#)
Polygon tool, [102](#)
Polyline Stroke brush, [178–182](#)
Post Multiply Image option, [77](#)
Pre-Divide/Post-Multiply option, color
 corrector, [14–15](#), [100](#)
premultiplied alpha channel, [101](#)
previewing clips, [10](#)
Project Manager, Restore Project
 Archive, [140](#)
PSD layers, using, [96–101](#). *See also* [layers](#)
puck, identifying, [25](#)

Q

Quality parameter, [190](#)

R

radial gradient, [148](#)
RAM, assigning for Fusion, [9](#)
range slider, [24](#)
Rectangle tool, [151](#)
reference frame
 exporting, [98](#)
 setting, [91](#)
Render Cache option, [29](#)
Replace Color, setting to Source, [132](#)
Reset UI Layout, [2](#)
Resize node, impact on clip's resolution, [67](#)
resolution. *See also* [Auto Resolution button](#);
 [clip's resolution](#)
 controlling for compositions, [64–69](#)
 retaining for clips, [60–64](#)
Restore Project Archive, [140](#)

RGB images, combining mattes
with, 75–78

rotoscoping. *See also drawing mattes*
auxiliary mattes, 120–129
balancing, 123
holdout mattes, 123–129
process of, 20

S

saving templates, 163–166

screens and signs. *See signs and screens*

secondary color correction, 22–26.
See also color correcting elements

Select tool, 37, 71, 83

Settings button, 27

Shading tab, using with text, 143

shapes

closing, 49

moving points of, 126

Shift key. *See keyboard shortcuts*

shots

“breaking,” 51

stabilizing, 40

signs and screens

combining mattes and images, 102–104

finalizing composite, 106–108

match moving with Planar

Transform, 104–105

painting with Clone tool, 93–96

tracking planar surfaces, 88–92

using Photoshop PSD layers, 96–101

sky

blending in, 83–84

fixing interrupted trackers, 82–83

tracking into position, 78–81

sky replacement

adding effects, 71–73

composition’s resolution, 64–69

Darken Apply mode, 69–70

embedding alpha in image, 75–78

fixing holes in key, 74–75

metadata badge, 65–66

retaining clip’s resolution, 60–64

smoothing edges, 73

Soft Glow effect, 163

Soft Light apply mode, 99

spill suppression, 133

spline shapes, disabling
auto-keyframing on, 44

splines, animating, 123

split screens, compositing, 31–32

split-screen effect

aligning clips, 50–53

creating, 34–36

drawing mattes, 44–50

nudging clips, 50–53

restoring camera motion, 53–55

tracking in Fusion page, 37–44

stabilization, using trackers for, 42–44

stabilizing shots, 40

Steady setting, 92

straight alpha channel, 101

Stroke tool, 94

system requirements, *xi*

T

tablet and pen input devices, 4

Template node, creating for text, 145

templates, saving, 163–166

text. *See also Gradient type; words*

lower-third rule, 147

moving to Fusion page, 145–147

revealing with mattes, 151–152

styling in Edit page, 140–145

Text+ tool, 142

three-button mouse, recommendation, 4

time ruler

contents, 8

locating, 3

Time Speed tool, 93

timeline

returning to, 29

undoing clips in, 64

timeline ruler, dragging in, 157

timeline tracks, centering, 129

- timeline versions, [162–163](#)
- Timelines bin, contents of, [112](#), [140](#), [170](#)
- Title text, animating, [151–152](#)
- toolbar, locating, [3](#)
- tools
 - Background, [67](#)
 - Blur, [26](#)
 - B-Spline, [120–122](#)
 - Clean Plate, [114](#)
 - Clone, [93–96](#)
 - Film Damage, [187](#)
 - Merge, [10](#)
 - Multitext, [146](#)
 - and nodes, [6](#)
 - Polygon, [102](#)
 - Polygon shape, [45–46](#)
 - Rectangle, [151](#)
 - revealing categories, [23](#)
 - Select, [37](#), [83](#)
 - Stroke, [94](#)
 - Text+, [142](#)
 - Time Speed, [93](#)
 - Tracker, [37](#)
- Track Center (Append) setting, [82–83](#)
- Track Forward button, [83](#)
- Tracker modifier, [79–80](#)
- tracker points, adding, [40](#). *See also* [point tracker](#)
- Tracker tool, [37](#)
- trackers. *See also* [interrupted trackers](#)
 - renaming, [40](#)
 - using for stabilization, [42–44](#)
- tracking
 - in Fusion page, [37–44](#)
 - planar surfaces, [88–92](#)
 - sky into position, [78–81](#)
- tracking data, Operation tab, [42](#)
- tracking points, selecting, [41](#)
- tracking process, resuming, [91](#)

- tracks
 - expanding horizontally, [157](#)
 - testing, [92](#)
- TRAINING LOWER THIRD template, [166](#).
See also [lower-third rule](#)
- Training Media folder, contents of, [2](#)
- Transform node, adding, [54](#), [63](#)
- Type options, choosing for text, [143](#)

U

- undoing commands, [19](#), [28](#), [64](#)

V

- Val, Steve, [113](#)
- versions, trying out, [161–163](#)
- view status, resetting for viewers, [128](#)
- viewer setup, changing, [53](#)
- viewers. *See also* [dual viewer setup](#)
 - filling in with image, [69](#)
 - increasing, [121](#)
 - panning, [47](#)
 - resetting view status of, [128](#)
 - resizing, [45](#)
 - zooming in and out of, [5](#)
- viewing clips, [22](#), [26](#)
- views, framing, [5](#)
- vignettes, adding, [28](#)

W

- white point, setting, [16](#)
- Windows users, [xii–xviii](#)
- words, animating, [153–156](#). *See also* [text](#)
- work area, locating, [3](#)
- Write On End slider, Modifiers tab, [182–183](#)

Z

- Zoom To Fit button, [129](#)
- zooming
 - in and out of viewers, [5](#)
 - in Node Editor, [4](#)

The Visual Effects Guide to

DAVINCI RESOLVE 20

The Fusion page in DaVinci Resolve 20 features hundreds of advanced tools for visual effects compositing. This official hands on training guide introduces you to a core set of tools in five easy lessons.

The lessons will let you experience how to create visual effects directly inside DaVinci Resolve, without importing or exporting large media files between applications.


You'll learn how its node based interface makes it easy to quickly build commonly requested visual effects and quickly make changes.

What You'll Learn

- Fundamentals of compositing using nodes
- Combining optimal takes with the split screen technique
- Tracking objects using the point tracker and planar tracker
- Compositing with multi layer PSD files
- Advanced sky and sign replacement
- Green screen compositing with the delta keyer and clean plate
- Rotoscoping to produce clean traveling mattes
- Two addendum chapters on how to create motion graphics.

Who This Book Is For


This book is designed for editors and colorists wanting to learn how to create visual effects, as well as artists transitioning from other visual effects applications. Beginners will find clear and concise lessons that introduce how the Fusion page integrates with the other pages as well as core concepts and user interface navigation. If you're a professional switching from another application, you'll find lessons that cover the fundamentals for keying, sky replacement, and tracking, as well as dozens of tips and tricks that will transform how you work!




Key and Composite Green Screens



Replace Signs Using Planar Tracking



Use Nodes to String Effects Together



Create Believable Split-Screen Shots

